

The Trades Choice



Electrical Wholesalers Ltd

PRODUCT GUIDE

HOME OF THE **elex** BRAND & MARKET LEADING SUPPLIERS



OVER 1400 PRODUCTS IN STOCK FROM LEADING MANUFACTURERS



Our experienced and knowledgeable team will always go the distance to provide expert advice, high-quality products and a speedy delivery to ensure your projects can be as efficient and cost effective as possible.

Our logistical team will deliver the next day and same day in Essex, London and surrounding counties and we offer parking directly outside our trade counter.




- An established family business for over 35 years
- Over 100 years collective staff experience
- Friendly, fast, and efficient customer service tailored to you
- Next day and same day delivery to site, home, or office
- Competitive and flexible pricing
- Stockists of all major brands at discounted prices
- Nationwide network strength and coverage

CH Electrical Wholesalers Ltd

134 - 140 Park Lane
Hornchurch
Essex RM11 1BE

Opening Hours:
Monday to Friday: 7:30am - 5pm
Saturday 8am - 11am



Lamps & Lighting

Manufacturer	Page No
Ansell	5
ArcLED	10
Brackenheath	4, 6 - 7, 14 - 15
Crompton Lamps	12 - 13
Deligo	4
Hager	9 - 10
Kosnic	16
Lucy Zodian	10
Megaman	8, 11
Plus+Lamp	4
Ritelite	4

Nest Products

Manufacturer	Page No
Nest	17

Books

Manufacturer	Page No
Syam	18
IET	18
ESP	18

Wiring Accessories

Manufacturer	Page No
Elex	27
Flexicon	19
MK	22 - 26
SMJ	20 - 21
Thrion	28
Timeguard	19, 26
WAGO	19
Wiska	26 - 27

Distribution

Manufacturer	Page No
Eaton	31 - 32
Elektrak	29
MK	31
Project EV	31
Wylex	33 - 35

Timers & Controls

Manufacturer	Page No
Elex	37
Hamilton	37
Optimum	36, 38
Sangamo	41 - 42
Secure	39 - 40
Timeguard	38, 43 - 44
Tower TFC Group	36, 38

Fire, Safety & Security

Manufacturer	Page No
AlCO	45
Deligo	51
ESP	51
FireAngel	46 - 47
Kidde	48 - 49

Fire, Safety & Security

Manufacturer	Page No
Rointe	52
Wylex	50
YUASA	51

Cable Management

Manufacturer	Page No
Atkore	53
Deligo	55
MK	54
Tass	54 - 55
Termination Technology	56

Fans & Ventilation

Manufacturer	Page No
Elex	57
Vent-Axia	58

Heating & Hand Dryers

Manufacturer	Page No
Dimplex	59
Elex	64
Farho	60 - 61
Rointe	64
Hyco	62 - 63

Water Heating

Manufacturer	Page No
Hyco	66
Redring	65
Rointe	66
Heatcom	67

Doorbells & Chimes

Manufacturer	Page No
Friedland	68
GreenBrook	68 - 69
Honeywell	69

Sundry Items

Manufacturer	Page No
Artline	74
Brother	82 - 83
CalCard	77
Deligo	77
Duracell	75
Elex	73
ELWIS	71
Energizer	70
KR	73
Milwaukee	79 - 81
Octogrip	72
Philex	70, 76
Super Rod	74
Thor	77
TIS	78
Varta	75
VIPro	75
Wago	84 - 85



Must be ordered
in pack qty of 20s



2D Lamps

Code	Description	Price	Qty
RIT/2D/1635	2D 16w 2P 3500K - MOQ 20	-	1
RIT/2D/2835	2D 28w 2p 3500K - MOQ 20	-	1
RIT/2D4/1635	2D 16w 4p 3500K - MOQ 20	-	1
RIT/2D4/2835	2D 28w 4p 3500K - MOQ 20	-	1
RIT/2D4/3835	2D 38w 4p 3500K - MOQ 20	-	1



Rechargeable LED Carrier Lights

Code	Description	Price	Qty
LEDL10YR	10W Rechargeable LED Carry Light 6000K	-	1
LEDL20YR	20W Rechargeable LED Carry Light 6000K	-	1



DELIGO



Starters & Lamp Holders

Code	Description	Price	Qty
SC422	FS2 Series Starter (MOQ 25)	-	1
SC480E	FSU Conventional Starter (MOQ 25)	-	1
RO19931	GU10 Lamp Holder	-	1



Blue UV Lamps


PLUS-LAMP™

Code	Description	Price	Qty
LMP I603 Tube	15W 18" T8 UV Tube	-	1
LMP I607 Tube	22W Circle Line UV Tube	-	1
TPX8-12	8w Fly Killer Tube	-	1



Ideal for commercial and residential applications such as offices, supermarkets, hotels and bathrooms

- Tamper proof construction
- Available with Microwave Sensor
- Up to 360° detection from MW Sensor
- Available with 3W Emergency battery pack
- IK10 Impact rated
- IP54 Ingress Protection
- Manufactured with flame retardant polycarbonate



Circular LED Bulkhead

Code	Description	Operating Wattage	Colour Temperature	Luminous Flux	Lifespan	IP Protection Rating	Price	Qty
BRA/E9700	LED Circular CCT Standard Bulkhead	18W	3000K / 4000K / 6000K	1350 Lm	30,000 Hrs	IP54	-	1
BRA/E9701	LED Circular CCT Microwave Bulkhead	18W	3000K / 4000K / 6000K	1350 Lm	30,000 Hrs	IP54	-	1
BRA/E9702	LED Circular CCT Standard Emergency Bulkhead	18W	3000K / 4000K / 6000K	1350 Lm	30,000 Hrs	IP54	-	1



Delta Fittings



Code	Description	Qty
ADLED1/WV/CCT	6w LED Delta fitting IP65 - white	1
ADLED2/WV/CCT	14w LED Delta fitting IP65 - white	1
ADLED2/WV/CCT/M3	14w LED emergency Delta fitting IP65 - white	1
ADLED2/WV/CCT/MWS	14w LED Delta fitting with microwave sensor IP65 - white	1
ADLED2/WV/CCT/MWS/M3	14w LED emergency Delta fitting with microwave sensor IP65 - white	1



Shaver Sockets

Code	Description	Qty
ADVRL	Dual voltage shaver light	1
ADVSS	Dual voltage shaver socket	1



Disco Fittings




Code	Description	Qty
ADSILED2	13w LED Disco slim CCT fitting	1
ADSILED2/MWS	13w LED Disco slim CCT fitting with microwave sensor	1
ADSILED2/MWS/M3	13w LED Disco emergency slim CCT fitting with microwave sensor	1



Tornado Fittings

Code	Description	Qty
ATORPLED4	LED Tornado 4ft fitting	1
ATORPLED4/M3	LED emergency Tornado 4ft fitting	1
ATORPLED5	LED Tornado 5ft fitting	1
ATORPLED5/M3	LED emergency Tornado 5ft fitting	1
ATORPLED6	LED Tornado 6ft fitting	1
ATORPLED6/M3	LED emergency Tornado 6ft fitting	1
ATORPLED2X4	LED Tornado twin 4ft fitting	1
ATORPLED2X4/M3	LED emergency Tornado twin 4ft fitting	1
ATORPLED2X5	LED Tornado twin 5ft fitting	1
ATORPLED2X5/M3	LED emergency Tornado twin 5ft fitting	1
ATORPLED2X6	LED Tornado twin 6ft fitting	1
ATORPLED2X6/M3	LED emergency Tornado twin 6ft fitting	1



Emergency Lighting

Code	Description	Qty
AE3LED/3M/W	Eagle 6500k LED exit sign	1
AGLED/3M	Guardian LED emergency bulkhead 6500k with legend	1



Eden Floodlights

Code	Description	Qty
AEDLED/10/CW	Eden LED Floodlight 10w 4000k	1
AEDLED/10/CW/PIR	Eden LED Floodlight 10w 4000k with PIR sensor	1
AEDLED/20/CW	Eden LED Floodlight 20w 4000k	1
AEDLED/20/CW/PIR	Eden LED Floodlight 20w 4000k with PIR sensor	1
AEDLED/30/CW	Eden LED Floodlight 30w 4000k	1
AEDLED/30/CW/PIR	Eden LED Floodlight 30w 4000k with PIR sensor	1
AEDLED/50/CW	Eden LED Floodlight 50w 4000k	1
AEDLED/50/CW/PIR	Eden LED Floodlight 50w 4000k with PIR sensor	1
AMLED100	Mira LED 100w floodlight 4750k	1

iSpot Frameless



Product Code	Wattage	Lumen Output	IK Rating	PIR	IP Rating	CCT (K)	Voltage	Beam Angle	Rated Life	Price
BRA/I2012B	10W	900lm	IK07	No	IP65	4000K	220V-240V	110°	30,000hrs	-
BRA/I2013B	10W	900lm	IK07	Yes	IP65	4000K	220V-240V	110°	30,000hrs	-
BRA/I2022B	20W	1800lm	IK07	No	IP65	4000K	220V-240V	110°	30,000hrs	-
BRA/I2023B	20W	1800lm	IK07	Yes	IP65	4000K	220V-240V	110°	30,000hrs	-
BRA/I2032B	30W	2700lm	IK07	No	IP65	4000K	220V-240V	110°	30,000hrs	-
BRA/I2033B	30W	2700lm	IK07	Yes	IP65	4000K	220V-240V	110°	30,000hrs	-
BRA/I2042B	50W	4500lm	IK07	No	IP65	4000K	220V-240V	110°	30,000hrs	-
BRA/I2043B	50W	4500lm	IK07	Yes	IP65	4000K	220V-240V	110°	30,000hrs	-

- ▲ Our angled bracket allows the unit to be fully rotational. The bracket does NOT need to be removed for installation, saving time for the installer.
- ▲ NEW and IMPROVED IP65 PIR. The new PIR can be tilted in different directions to allow detection from all angles.
- ▲ Air breath device included, making your ispot floodlight protected against the outside environment and combating condensation build up.
- ▲ Driverless technology has given us the opportunity to create an ultra thin, sleek body whilst maintaining the quality and longevity of the device.
- ▲ Frameless design on the floodlight helps fight water ingress and dust build up on the lens.
- ▲ Constructed with die-cast aluminium and toughened glass.
- ▲ Supplied with 500mm of power flex.
- ▲ Floodlight available in black or white finish.
- ▲ Manually overridable PIR
- ▲ Options for suitable replacement of halogen floodlights up to 500W

Rex Super-slim



Product Code	Wattage	Lumen Output	IK Rating	PIR/Photocell	IP Rating	CCT (K)	Voltage	Beam Angle	Rated Life	Price
BRA/N6045	70W	6300lm	IK08	N/A	IP65	4000K	220V-240V	115°	30,000hrs	-
BRA/N6047	70W	6300lm	IK08	PIR	IP65	4000K	220V-240V	115°	30,000hrs	-
BRA/N6055	100W	9000lm	IK08	N/A	IP65	4000K	220V-240V	115°	30,000hrs	-
BRA/N6057	100W	9000lm	IK08	PIR	IP65	4000K	220V-240V	115°	30,000hrs	-
BRA/N6065	150W	13,500lm	IK08	N/A	IP65	4000K	220V-240V	115°	30,000hrs	-
BRA/N6085	300W	27,000lm	IK08	N/A	IP65	4000K	220V-240V	115°	30,000hrs	-
BRA/N6046	70W	6300lm	IK08	Photocell	IP65	4000K	220V-240V	115°	30,000hrs	-
BRA/N6056	100W	9000lm	IK08	Photocell	IP65	4000K	220V-240V	115°	30,000hrs	-
BRA/N6066	150W	13,500lm	IK08	Photocell	IP65	4000K	220V-240V	115°	30,000hrs	-
BRA/N6086	300W	27,000lm	IK08	Photocell	IP65	4000K	220V-240V	115°	30,000hrs	-

- ▲ Ideal for use in industrial and commercial applications such as houses, driveways, car parks and garages
- ▲ Suitable replacement up to 1000W HID floodlight
- ▲ PIR with manual override
- ▲ Adjustable PIR settings: lux, time and sensitivity
- ▲ PIR detection range up to 10 metres
- ▲ IP65 PIR
- ▲ Photocell feature is preset to 10-20Lx On (dusk); 30-60Lx Off (Dawn)
- ▲ Driver on board technology
- ▲ Made from die-cast aluminium and toughened glass
- ▲ Angled bracket for easy installation
- ▲ 10-50W also available
- ▲ Supplied with 1.5m power flex
- ▲ Available in black





LED Dualbay® Range

100W | 150W | 200W



High bays

Product Code	Wattage	Microwave Sensor	Lumen Output	IK Rating	IP Rating	CCT (K)	Voltage	Beam Angle	Rated Life	Price
BRA/N9104	100W	No	11,000lm	IK08	IP65	4000K	220V-240V	90°	30,000hrs	-
BRA/N9110	150W	No	16,500lm	IK08	IP65	4000K	220V-240V	90°	30,000hrs	-
BRA/N9120	200W	No	22,000lm	IK08	IP65	4000K	220V-240V	90°	30,000hrs	-

- ▲ Ideal for use in industrial and commercial applications such as factories and warehouses
- ▲ Suitable replacement up to 400W HID fitting
- ▲ 90° beam angle
- ▲ 110lm / Watt - 11,000lm +10%
- ▲ CRI>70

- ▲ Maximum mounting height 8-10m
- ▲ Integral driver
- ▲ Hanging hook included
- ▲ Flicker free technology
- ▲ Supplied with 2m of power flex
- ▲ IP65

High bay accessories

Product Code	Description	Suitable For	Price
BRA/N9100	Wall Mounting Bracket	150W & 200W	-
BRA/N9102	Plug And Play Microwave Sensor	150W & 200W	-
BRA/N9103	Cowl Reflector	150W & 200W	-
BRA/I4000B	Weatherproof Connector	All	-



Rex LED Floodlights

10W | 20W | 30W



Product Code	Operating Wattage	Colour Temperature	Luminous Flux	Beam Angle	Lifespan	IP Protection Rating	Price
BRA/N6310	10W	4000k	900lm	110°	30,000hrs	IP65	-
BRA/N6320	20W	4000k	1800lm	110°	30,000hrs	IP65	-
BRA/N6330	30W	4000k	2700lm	110°	30,000hrs	IP65	-

NEW

MEGAMAN®

BERTO

- FAST FIT
- PLUG+PLAY
- TOOLLESS INSTALL

36W Backlit TPa LED Panel
≤UGR22 | 50,000hrs

ultra slim

5YR
WARRANTY
ON LED PANEL
& DRIVER

710675
710676

UGR
22

IP40



A+
ENERGY CLASS

Flicker Free
≤3%


4000K

6500K

TPa
BACKLIT

MEGAMAN® BERTO Backlit TPa LED PANELS are highly energy efficient LED panels that are quick and easy to install and come with a **5 year warranty on both LED panel and driver**. BERTO Backlit panels provide a flexible high lumen output, low maintenance and UGR<22 low glare lighting solution that is suitable for numerous applications and environments.

Up to 3600 lumen / 110° beam angle / Loop through adaptor / Non discolouring TPa diffuser / Suitable for exposed T-grid ceilings / Emergency DALI & Microwave Motion Sensor Options available



Available
with Loop
through
wiring
adaptor


SPECIFICATION - BERTO Backlit TPa LED Panels (36W) Non-Dim Driver / X2 PANEL PACK

UK Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Dimensions (L x W x H mm)
710675 UGR22 TPa BACKLIT (SQUARE) X2 PANELS	36W	4000K / 80	3600	N	110°	50,000	600x600x33
710676 UGR22 TPa BACKLIT (SQUARE) X2 PANELS	36W	6500K / 80	3600	N	110°	50,000	600x600x33
710502 EMERGENCY KIT FOR BACKLIT PANELS							

ACCESSORIES



710940
LOOP THROUGH ADAPTOR
WITH 3 PIN FOR BACKLIT PANEL



130212
SUSPENSION KIT FOR PANEL,
1.8M



130214
SAFETY KIT FOR PANEL, 1.5M



130332
SURFACE MOUNTED CEILING
FRAME, 600x600mm

TEMPUS®

EMERGENCY KIT
for BERTO Backlit
TPa Panels
710502



TEMPUS®
Designed specifically
for MEGAMAN® LEDs



MEGAMAN® offers a full spectrum of LED Fixtures and Lamp Lighting Solutions to support all electrical wholesalers. www.megamanuk.com

LED FIXTURES RANGE

LED LAMPS RANGE

TEMPUS® EMERGENCY LIGHTING

INGENIUM® ZB SMART LIGHTING

hager



Marshalling Boxes

Code	Description	Price	Qty
KLDS4	4 Way Klik Lighting Distribution Unit	-	1
KLDS6	6 Way Klik Lighting Distribution Unit	-	1
KLDS8	8 Way Klik Lighting Distribution Unit	-	1
KLDS10	10 Way Klik Lighting Distribution Unit	-	1
KLDS12	12 Way Klik Lighting Distribution Unit	-	1

hager



6A 3 Pin Plug-in Ceiling Rose & Cover

Code	Description	Price	Qty
PCR2000	3 Pin Plug-in Ceiling Rose White	-	1

hager



6A 3 Pin Plugs

Code	Description	Price	Qty
P22	3 Pin Plug White	-	1

hager



6A 3 Socket Outlets

Code	Description	Price	Qty
S27	Round socket in White	-	1

hager



6A 3 Pin Pre-wired Plug-in Ceiling Rose

Code	Description	Price	Qty
PCR2000/2.0	c/w 3 Core 0.75mm2 2m PVC Lead	-	1
PCR2000/3.0	c/w 3 Core 0.75mm2 3m PVC Lead	-	1
PCR2000/4.0	c/w 3 Core 0.75mm2 4m PVC Lead	-	1
PCR2000/LSF/2.0	c/w 3 Core 0.75mm2 2m LSOH Lead	-	1
PCR2000/LSF/3.0	c/w 3 Core 0.75mm2 3m LSOH Lead	-	1
PCR2000/LSF/4.0	c/w 3 Core 0.75mm2 4m LSOH Lead	-	1
PCR2000/1.0LSF/3	c/w 3 Core 1.00mm2 3m LSOH Lead	-	1
PCR2000/1.0LSF/5	c/w 3 Core 1.00mm2 5m LSOH Lead	-	1

hager



6A 3 Pin Pre-wired Plugs


Code	Description	Price	Qty
P22/2.0	P22 c/w 3 Core 0.75mm2 2m PVC Lead	-	1
P22/3.0	P22 c/w 3 Core 0.75mm2 3m PVC Lead	-	1
P22/4.0	P22 c/w 3 Core 0.75mm2 4m PVC Lead	-	1
P22/1.0PVC/5	P22 c/w 3 Core 1.00mm2 5m PVC Lead	-	1
P22/1.0LSF/5	P22 c/w 3 Core 1.00mm2 5m LSOH Lead	-	1

hager



6A 4 Pin Plug-in Ceiling Rose

Code	Description	Price	Qty
CR64AX	4 Pin Plug-in Ceiling Rose White	-	1



6A 4 Pin Plugs

Code	Description	Price	Qty
P64AX	4 Pin Plug White	-	1
P64AX/R	4 Pin Plug Red	-	1



6A 4 Pin Pre-wired Plug-in Ceiling Roses & Plugs


Code	Description	Price	Qty
Ceiling Roses			
CR64AX/2.0	CR64AX c/w 4 Core 0.75mm2 2m PVC Lead	-	1
CR64AX/3.0	CR64AX c/w 4 Core 0.75mm2 3m PVC Lead	-	1
CR64AX/4.0	CR64AX c/w 4 Core 0.75mm2 4m PVC Lead	-	1
CR64AX/LSF/2.0	CR64AX c/w 4 Core 0.75mm2 2m LSOH Lead	-	1
CR64AX/LSF/3.0	CR64AX c/w 4 Core 0.75mm2 3m LSOH Lead	-	1
CR64AX/LSF/4.0	CR64AX c/w 4 Core 0.75mm2 4m LSOH Lead	-	1
CR64AX/1.0LSF/3	CR64AX c/w 4 Core 1.00mm2 3m LSOH Lead	-	1
CR64AX/1.0LSF/5	CR64AX c/w 4 Core 1.00mm2 5m LSOH Lead	-	1
Plugs			
P64AXR/3.0	P64AXR c/w 4 Core 0.75mm2 3m PVC Lead	-	1

Lucy zodion



Lighting control photocells and control kits

Code	Description	Price	Qty
CAB SS14	SS14 Photo Electric Cell	-	1
CAB SS8 KIT	Kit Photocell Kit	-	1
CAB SS9 HEAD	SS9 Head Only	-	1
SPE SS4 HEAD	Photocell Head Only Thermal	-	1
SPE SS4 KIT	Photocell Kit Thermal	-	1
SPE SS4E HEAD	Photocell Head Only Electronic	-	1
SPE SS4E KIT	Photocell Kit Electronic	-	1



Code	Description	Price	Qty
ARC-FLATSIL	2m LED shallow profile, complete with clips	-	1
ARC-DFLATSIL	2m LED deep flat profile, complete with clips	-	1
ARC-45DEGSIL	2m LED 45 degree profile, complete with clips	-	1
ARC-RECSIL	2m LED recessed profile	-	1



6A 4 Pin Socket Outlets

Code	Description	Price	Qty
S64AX	Klik Secure Auxiliary Round Socket	-	1



MEGAMAN® INTRODUCE

MEGAMAN®

Total & Unique Lighting Control with...

TEGO 2

**NEW HIGH PERFORMANCE
FULLY FIRE-RATED
INTEGRATED LED
DOWNLIGHT WITH
AN INTELLIGENT
LIGHTING
TWIST!**

NEW

**5YR
WARRANTY**

**30/60/90 Minute
Fully Fire-Rated | IP65
650 Lumen | 50,000 Hours**

711183 - TEGO 2 | 7.5W



TWIST THE LENS TO
SELECT COLOUR TEMP



With simple fingertip control select either 3000k or 4000K colour temperature by twisting the lens. All achieved quickly and effortlessly while still in-situ!



PUSH THE LENS TO
CHANGE BEAM ANGLE



NEW TEGO 2 with MEGAMAN®'s innovative Dual Beam Technology (DBT) has two beam angles - 36° or 60° - available by simply pushing to select. No tools needed.

MEGAMAN® TEGO 2 with Dual Beam Technology (DBT) & Selectable Dual CCT enables the simple in-situ change of beam angles & colour temperatures without the need of tools or removing from ceiling.

TEGO 2 even removes the worry of 'making good' ceilings for contractors - saving even more time and money!



Choice of contemporary finished magnetised bezel ring covers adds even more flexibility to this stylish high-performance fixture.

NO TOOLS NEEDED.


Change quickly & easily to suit interior design.



711085 - CHROMIUM



711087 - BRUSHED NICKEL



711088 - BLACK

For more information visit;
www.megamanuk.com

Or call our Sales Team on;
01707 386000

MEGAMAN®

MEGAMAN® offers a full spectrum of LED Fixtures and Lamp Lighting Solutions to support all electrical wholesalers. www.megamanuk.com

LED FIXTURES RANGE

LED LAMPS RANGE

TEMPUS® EMERGENCY LIGHTING

INGENIUM® ZB SMART LIGHTING

Technical Information



LED Dimmable Smart GLS

Product Code	Watts (W)	Volts (V)	Cap	Colour Appearance	Colour Temp (K)	Total Lumens (lm)	Incandescent Equivalent (W)	Dimensions (mm)		Energy Rating	Price
								Dia	H		
GLS - Single Carton											
12301	8.5	240	BC-B22d	Warm White	3000	806	60	60	107	A+	-
12318	8.5	240	ES-E27	Warm White	3000	806	60	60	107	A+	-
12325	8.5	240	BC-B22d	RGB + Warm White	RGB + 3000	806	60	60	107	A+	-
12332	8.5	240	ES-E27	RGB + Warm White	RGB + 3000	806	60	60	107	A+	-

806 LUMENS		Warm White 3000K		15,000 HOUR LIFE		
	RGB		DIMMABLE		HOME HUB	SMART DEVICE

Dimmable via voice control or app. Not compatible with a physical dimmer.

8.5W Annual running cost = £3.12



LED Dimmable Smart Candle

Product Code	Watts (W)	Volts (V)	Cap	Colour Appearance	Colour Temp (K)	Total Lumens (lm)	Incandescent Equivalent (W)	Dimensions (mm)		Energy Rating	Price
								Dia	H		
Candle - Single Carton											
12349	5	240	BC-B22d	Warm White	3000	470	40	37	108	A+	-
12356	5	240	SES-E14	Warm White	3000	470	40	37	108	A+	-
12363	5	240	BC-B22d	RGB + Warm White	RGB + 3000	470	40	39	114	A+	-
12370	5	240	SES-E14	RGB + Warm White	RGB + 3000	470	40	39	114	A+	-

470 LUMENS		Warm White 3000K		15,000 HOUR LIFE		
	RGB		DIMMABLE		HOME HUB	SMART DEVICE

Dimmable via voice control or app. Not compatible with a physical dimmer.

5W Annual running cost = £1.47



LED Dimmable Smart GU10

Product Code	Watts (W)	Volts (V)	Cap	Colour Appearance	Colour Temp (K)	Useful Lumens (lm)	Beam Angle	Halogen Equivalent (W)	Dimensions (mm)		Energy Rating	Price
									Dia	H		
GU10 - Single Carton												
12387	5	240	GU10	Tuneable White	2700 - 4000	320	100°	50	50	58	A+	-
12394	5	240	GU10	RGB + Warm White	RGB + 3000	320	100°	50	50	58	A+	-
12400	5	240	GU10	RGB + Cool White	RGB + 4000	320	100°	50	50	58	A+	-

320 LUMENS			Warm White 3000K	Cool White 4000K		15,000 HOUR LIFE		
	RGB	TUNEABLE WHITE			DIMMABLE		HOME HUB	SMART DEVICE




Dimmable via voice control or app. Not compatible with a physical dimmer.

5W Annual running cost = £1.47








LED Flexi Strip-Light 5 Metre Kit

	Code	Description	Wattage	Voltage	Colour	Width	Length	Price
	12516	5M LED Flexi Strip-Light RGB Contents: 1x IP65 5M LED Flexi Strip-Light RGB, 1x IP20 AC power adapter with integrated UK plug, 1x infrared remote control, 1x infrared receiver, 2x 10cm flexible connectors with clamp to both ends and 2x straight connectors with clamp to both ends	32W	24V	RGB	10mm	5000mm	-
	12493	5M LED Flexi Strip-Light WW Contents: 1x IP65 5M LED Flexi Strip-Light WW, 1x IP20 AC power adapter with integrated UK plug, 2x 10cm flexible connectors with clamp to both ends and 2x straight connectors with clamp to both ends	20W	24V	2700K Warm White	8mm	5000mm	-
	12509	5M LED Flexi Strip-Light CW Contents: 1x IP65 5M LED Flexi Strip-Light CW, 1x IP20 AC power adapter with integrated UK plug, 2x 10cm flexible connectors with clamp to both ends and 2x straight connectors with clamp to both ends	20W	24V	4000K Cool White	8mm	5000mm	-

LED Flexi Strip-Light 5 Metre Kit Accessories

	Code	Description	Price
	12523	48W 24V power supply for use with 5m Strip Kits (12493/12509 - CW/WW), supports up to 10m in length Larger driver to support combined LED strips up to 10m in length	-
	12530	60W 24V power supply for use with 5m Strip Kits (12516 - RGB), supports up to 10m in length Larger driver to support combined LED strips up to 10m in length	-
	12547	Accessory Pack For 5m Strip Kits For re-connecting cut-off lengths of 5M LED Flexi Strip-Light Contents: 2x 15cm flexible connector with clamp to both ends (RGB), 2x 2x straight connectors with clamp to both ends (RGB) and 2x 15cm flexible connector with clamp to both ends (CW/WW), 2x 2x straight connectors with clamp to both ends (CW/WW)	-

Lighting brilliance since 1878

LED CCT Floodlight with Plug-in PIR



- All in one LED floodlight
- Ideal for retrofit installation with pre-fitted IP65 cable connector on rear
- CCT switch on rear of fitting allows switching between three colour temperatures (3000K/4000K/5000K)
- Unique Plug and Play IP65 PIR option sold separately



BRA/BR3010



BRA/BR3001
plug in PIR sold separately

Description	Catalogue Code	Price Each
LED CCT Floodlights with Plug-in PIR		
10W CCT IP65	BRA/BR3010	-
20W CCT IP65	BRA/BR3020	-
30W CCT IP65	BRA/BR3030	-
50W CCT IP65	BRA/BR3050	-
Plug-in PIR	BRA/BR3001	-

Spectra LED CCT IP65 Bulkheads



- CCT as standard (3000K/4000K/6000K)
 - ENEC approved driver
- Hinge feature on tray allows for easy installation
 - High impact polycarbonate housing
- Ø320mm diameter body which is ideal for retrofit replacements



BRA/BR6111



BRA/BR6111B

Description	Catalogue Code	Price Each
Spectra LED CCT IP65 Bulkheads - White		
18W CCT IP65 - white	BRA/BR6111	-
18W CCT IP65 MW - white	BRA/BR6111M	-
18W CCT IP65 EM - white	BRA/BR6111E	-
18W CCT IP65 EM + MW - white	BRA/BR6111EM	-
Chrome bezel	BRA/BR6195C	-
Spectra LED CCT IP65 Bulkheads - Black		
18W CCT IP65 - black	BRA/BR6111B	-
18W CCT IP65 MW - black	BRA/BR6111BM	-
18W CCT IP65 EM - black	BRA/BR6111BE	-
18W CCT IP65 EM + MW - black	BRA/BR6111BEM	-
Black trim ring for eyelid	BRA/BR6196B	-
Black trim ring for grille	BRA/BR6197B	-

Polo

Twist & Lock IP65 bulkhead with integrated LED tray

- Switchable CCT (3000/4000/5000K)
- Twist & lock ring for fast installation
- IP65 and vandal resistant (IK10)
- Integrated LED tray
- Option of base with emergency module
- Optional microwave sensor
- BESA box fitting points
- Flicker free



Order code	Description	Price
Polo		
KBHCT12C2S65/SCT-WHT	Polo, 12W Twist & lock IP65, EME LED bulkhead, CCT switching	-
KBHCT12C2S65/E/SCT-WHT	Polo, 12W Twist & lock IP65 LED bulkhead, CCT switching	-

Mulu

Emergency Exit Bulkhead

- All legends included
- Maintained and non-maintained option
- 20mm Conduit entry
- IP65 and IK10 (vandal resistant) for internal & external uses.
- Dual entry push-wire terminal block for easy loop-in loop-out wiring
- Available in self-test version
- BESA box fitting points



Order code	Description	Price
Mulu		
EESN0105S65	Mulu, emergency light & Exit Sign, 5W, 190lm, 6500K.	-

Kalem

LED panel exit sign box

- Slim profile LED panel
- Uniform back light
- Hidden slot at the frame for attaching exit sign film
- Maintained and non-maintained options
- Available in self-test version



Order code	Description	Price
Kalem		
EESN0105Q	Kalem, surface mount Emergency Light, 6500K	-
EESN01-PSLR	Kalem, Exit Sign Left/Right	-
EESN01-PSD	Kalem, Exit Sign Down	-
EESN01-PSU	Kalem, Exit Sign Up	-

Orda II

Standard/Self-test

High-Efficient Twin spot LED emergency light

- High efficiency of 157lm/W
- High output of 470lm
- Ceiling mount option and accessories included
- Compact in size
- Twin fully adjustable heads allow best light coverage
- IP65, IK10
- Options of white and black finish
- BESA box fitting points



Order code	Description	Price
Orda		
KEML03TS3-WHT	Orda, Twin-Spot Emergency, 3W, IP65 non-maintained, White	-
KEML03TS3-BLK	Orda, Twin-Spot Emergency, 3W, IP65 non-maintained, Black	-

Nitro

Standard non-maintained emergency downlight

- White Nitro available as standard
- Other colour finishes available to order
- Corridor & self-test version available to order
- Non-maintained, >3hrs



Order code	Description	Price
Nitro		
EDWL03C20/STD-WHT	Nitro Standard, Emergency Downlight, non-maintained	-

Email project@kosnic.com
or call to use our FREE Project
services



ALL Kosnic emergency batteries come with a
4 year warranty as standard

3 3 Years
Standard Warranty

5 5 Years
Extended Warranty

4 4 Years
Battery Warranty



Nest Hello video doorbell Opportunity is knocking.

Product code: NC5100GB

Cost: -



Features

- Know who's at the door
- HD video, day or night
- HD Talk and Listen
- 24/7 streaming
- Visitor announcements with Google Home



Nest Learning Thermostat 3rd Generation

Code	Description	Price	Qty
T3028GB	Learning Thermostat Stainless	-	1
T3031EX	Learning Thermostat Copper	-	1
T3029EX	Learning Thermostat Black	-	1
T3030EX	Learning Thermostat White	-	1



Nest Learning Thermostat Stand

Code	Description	Price	Qty
AT3000GB	Stand	-	1




Nest Protect 2nd Generation

Code	Description	Price	Qty
S3000BWGB	Nest Protect - Battery	-	1
S3003LWGB	Nest Protect - Wired	-	1



Nest Cams

Code	Description	Price	Qty
GA01317-GB	Nest Camera Indoor/Outdoor	-	1
GA02411-GB	Nest Camera Indoor/Outdoor & Floodlight	-	1
GA01998-GB	Nest Camera Indoor	-	1



Log Books & Test Certificates

Code	Description	Price	Qty
ELB/SC160	Emergency Lighting Log Book	-	1
CERT/ELP1	Emergency Lighting Periodic Test Certs.	-	1
FAB/16Z	Fire Alarm Log Book	-	1
PAT/100LB	PAT Testing Log Book	-	1



Installation Log Book

Code	Description	Price	Qty
ELB/36W	Installation Log Book	-	1
ARB/8REC	Accident Report Book	-	1
CCTV/LB30	CCTV System Log Book	-	1



Doc Box

Code	Description	Price	Qty
ESP/DOCBOX	Metal document box	-	1



Code	Description	Price	Qty
CERT/FAP6	Domestic Detector Installation Certs.	-	1
FAB/LLB	Domestic Alarms Log Book	-	1
DIS/LB1	Disabled WC Log Book	-	1
DLB/20D	Fire & Final Exit Door Log 20 Door	-	1
DLB/80D	Fire & Final Exit Door Log 80 Door	-	1



IEE Guidance/Wiring Regulations

Code	Description	Price	Qty
IEE/GN1	Selection & Erection 18th Edition	-	1
IEE/GN2	Isolation & Switching 18th Edition	-	1
IEE/GN3	Inspection & Testing 18th Edition	-	1
IEE/GN4	Protection against Fire 18th Edition	-	1
IEE/GN5	Protection against Electric Shock 18th Edition	-	1
IEE/GN6	Protection against Overcurrent 18th Edition	-	1
IEE/GN7	Special Locations 18th Edition	-	1
IEE/GN8	Earthing and Bonding 18th Edition	-	1
IEE/18THEDITION	IEE 18th Edition Regs (Blue)	-	1
IEE/18THON-SITE	IEE 18th On-Site Guide (Blue)	-	1
IEE/PSEUV003P	Vehicle Charging guide 3rd Edition	-	1

TIMEGUARD®

A theben Group Company



Sockets

Code	Description	Price	Qty
TIM/SLW360N	Surface Mount Ceiling PIR Presence Detector	-	1
TIM/SLFM360N	Flush Mount Ceiling PIR Presence Detector	-	1
TIM/RCD01WAVN	Valianceplus RCD Single White Socket - Active	-	1
TIM/RCD02WPVN	Valianceplus RCD Single White Socket - Passive	-	1
TIM/RCD03MAVN	Valianceplus RCD Single Metal Socket - Active	-	1
TIM/RCD04MPVN	Valianceplus RCD Single Metal Socket - Passive	-	1
TIM/RCD05WAVN	Valianceplus RCD Twin White Socket - Active	-	1
TIM/RCD06WPVN	Valianceplus RCD Twin White Socket - Passive	-	1
TIM/RCD07MAVN	Valianceplus RCD Twin Metal Socket - Active	-	1
TIM/RCD08MPVN	Valianceplus RCD Twin Metal Socket - Passive	-	1
TIM/RCD10WPVN	Valianceplus RCD White Fused Con Unit Deep Body - Passive	-	1
TIM/RCD11WPVN	Valianceplus RCD White Fused Connection Unit Shallow Body - Passive	-	1
TIM/RCD16MLN	Valianceplus RCD Metal Fused Connection Unit - Passive	-	1
TIM/DS3HD	Electronic IP65 Time Delay Switch	-	1

FLEXICON

Pneumatic Switch

- Time delay switch
- Pneumatic operation
- Current rating: 6A
- Timing range: 10 secs - 10 mins
- No neutral required
- Simple to install
- Adjustable time delay
- Quality product
- Stock availability
- Manufactured in Europe



Code	Description	Price	Qty
FTS40	Time delay pneumatic switch	-	1



Code	Description	Price	Qty
LCGN3P	Connector/Junction box	-	1
CHOCBOX	Inline Connector/Junction box	-	1
ASCAN	Smoke Canister	-	1



See
pages 84-85
for full
range



**Bulk rates available on
the 221 & 222 ranges**

Extension Leads



Basic Leads

This is ideal for indoor power use and is suitable for those hard to reach areas. Child safety covered sockets prevent live terminals being exposed and it incorporates 13AMP sockets.

Technical Specification

BS1363/A
KM54406
Maximum load 3120 watts

SMJ/B4W5MP – 4 sockets 5 metres -
SMJ/B6W2MP – 6 sockets 2 metres -
SMJ/B6W5MP – 6 sockets 5 metres -

With Neon Indicator

This is ideal for indoor power use and incorporates a neon indicator to let you know when there is power going through it. With 4 sockets and 2 metres of lead, it is suitable for those hard to reach areas. Child safety covered sockets prevent live terminals being exposed and it incorporates 13AMP sockets.

Technical Specification

BS1363/A
KM54406
Maximum load 3120 watts

SMJ/F4W2MP-X – 4 sockets 2 metres -



Extension Reels



Cassette Reel

The SMJ CT0413 is a 2 socket, 4 metre cable reel with Thermal Cut Out and a maximum load of 3120 watts. It's compactly designed to fit comfortably in the hand and there is a small handle for easy wind up and use. Also available in 10 metres.

Technical Specification
Maximum load 3120 watts

SMJ/CT0413 – 2 sockets 4 metres -



Cassette Reel

The SMJ CT0413 is a 4 socket, 10 metre cable reel with Thermal Cut Out and a maximum load of 3120 watts. It's compactly designed to fit comfortably in the hand and there is a small handle for easy wind up and use. Also available in 10 metres.

Technical Specification
Maximum load 3120 watts

SMJ/CT1013 – 4 sockets 10 metres -



110V Cable Reels

The 110V 16AMP cable reel with the new thermal cut out feature, is an open drum reel made from durable non-recycled materials. The bright yellow cable and yellow drum increases visibility and is perfect for a busy work site. Also fitted with a sturdy steel frame with a carry handle, makes it durable and easy to transport.

Technical Specification
16AMP 110V EN60309

SMJ/CR2516 – 2 sockets 25 metres -
SMJ/CR5016 – 2 sockets 50 metres -





Surge Protected

The SMJ trailing socket is a great extension lead for any busy office. Fitted with Surge Protection, this extension lead shields all of the devices plugged into the sockets against spikes of power entering the extension lead.

Technical Specification

BS1363/A
KM54406
Maximum load 3120 watts

SMJ/S4W2MP – 4 sockets 2 metres -
SMJ/S6W2MP-X – 6 sockets 2 metres -

Unwired Extension Leads

13AMP 1-6 Gang Extension Sockets

SMJ/RTS1GB – Hard wearing 1 Gang Extension Socket -
SMJ/RTS1GW – Hard wearing 1 Gang Extension Socket -
SMJ/RTS2GB – Hard wearing 2 Gang Extension Socket -
SMJ/RTS2GW – Hard wearing 2 Gang Extension Socket -



Cable Reel with Thermal Cut Out

The SMJ cable reel with Thermal Cut Out and a maximum load of 3120 watts. It's compactly designed to fit comfortably in the hand and the Easi-Reel technology ensures that the cable is protected and accurately guides it onto and off the drum.

Technical Specification
BS EN 61242

SMJ/CT1513
4 sockets 15 metres -
SMJ/CT2513
4 sockets 25 metres -



Heavy Duty

The SMJ Heavy Duty Cable Reel has a sturdy steel frame with a carry handle perfect for outdoor use. The CTH2513 and CTH5013 has 13AMP sockets and a 25 or 50 metre lead that has a maximum load of 3120 watts unwound.

Technical Specification
3120 watts unwound
13 AMP rating
BS EN 61242
KM6109

SMJ/CTH2513
4 Sockets 25 metres

SMJ/CTH5013
4 sockets 50 metres



Residual Current Devices



The SMJ RCDs, or residual current devices, are life-saving devices which are designed to prevent you from getting a fatal electric shock if you touch something live, such as bare wire.

Cuts power in 30m/s when an imbalance is detected to prevent electrocution. Double pole protected and approved to the latest European standards. Essential for use in high risk areas such as construction sites.

Technical Specification

13AMP
IEC61540
BS1363

SMJ/RCDAWC – BL – RCD adaptor Black -
SMJ/RCDPWC – RCD 13amp plug White -

13amp 3 pin plug top

SMJ/TW13FP – 3 pin plug top White -
SMJ/TB13FP – 3 pin plug top Black -
SMJ/RP13AB – Hard wearing 3 pin plug top Black -
SMJ/RP13AW – Hard wearing 3 pin plug top White -





MK Metalclad Plus:

All MK products are made to stand up to the wear and tear of everyday use, but in some areas you need them to be even tougher. That's why the Metalclad Plus range of surface mounted accessories is ideal for factories, workshops, garages and sheds. Made from heavy gauge steel they're tough and impact resistant and they look good too.



Connection Units

Code	Description	Price	Qty
K942ALM	13 Amp DP Switched connection unit	-	1
K932ALM	13A DP Switched Connection Unit Flex Out	-	1
K954ALM	13 Amp Connection unit - unswitched	-	1



DP Switchsocket

Code	Description	Price	Qty
K2946ALM	13 Amp 2 Gang DP Switchsocket	-	1
K2977ALM	13 Amp 1 Gang DP Switchsocket	-	1



Connection Units + Neon

Code	Description	Price	Qty
K962ALM	13 Amp DP Switched connection unit/neon	-	1
K972ALM	13 Amp DP Switched CU/Flex/Neon	-	1
K983ALM	13 Amp Connection unit/neon - unswitched	-	1



MK Masterseal Plus:

Masterseal Plus™ has been specifically developed for use in both outdoor and indoor environments, and where wiring devices and accessories would be at risk from penetration by dust or water.



2 Gang RCD Socket

Code	Description	Price	Qty
MK56231GRY	Masterseal 2 gang RCD protected socket	-	1



Connection Unit

Code	Description	Price	Qty
MK56410GRY	1 Gang Connection unit switched - 13 Amp Fused	-	1



Unswitched Sockets

Code	Description	Price	Qty
MK56480GRY	Masterseal 13 Amp Unswitched 1 Gang	-	1
MK56481GRY	Masterseal 13 Amp Unswitched 2 Gang	-	1



Switched Socket

Code	Description	Price	Qty
MK56482GRY	Masterseal 13 Amp 2 Gang Switched	-	1




Light Switches

Code	Description	Price	Qty
MK56400GRY	Masterseal 1 Gang 1 Way 10 Amp SP	-	1
MK56401GRY	Switch 10AX 2W SP 1 Gang	-	1
MK56402GRY	Masterseal 2 Gang 1 Way	-	1



MK Grid Plus:

Grid Plus is a modular switching and monitoring system in a choice of 17 attractive finishes to match complementary accessory ranges. The comprehensive range of modules includes switches, indicators, dimmers, secret key switches, printed switches and buzzer units – making it the ideal system for commercial and public building applications.




Metal Frontplates

Code	Description	Price	Qty
K3491ALM	1 Gang Surface Metal Frontplate	-	1
K3492ALM	2 Gang Surface Metal Frontplate	-	1
K3493ALM	3 Gang Surface Metal Frontplate	-	1
K3494ALM	4 Gang Surface Metal Frontplate	-	1
K3498ALM	8 Gang Surface Metal Frontplate	-	1
K3502ALM	12 Gang Surface Metal Frontplate	-	1



Grid Plus




Mounting Frames

Code	Description	Price	Qty
K3701	1 Gang Grid Mounting Frame	-	1
K3702	2 Gang Grid Mounting Frame	-	1
K3703	3 Gang Grid Mounting Frame	-	1
K3704	4 Gang Grid Mounting Frame	-	1
K3706	6 Gang Grid Mounting Frame	-	1



Front Plates

Code	Description	Price	Qty
K3631WHI	1 Gang Moulded Frontplate	-	1
K3632WHI	2 Gang Moulded Frontplate	-	1
K3633WHI	3 Gang Grid Frontplate	-	1
K3634WHI	4 Gang Grid Frontplate	-	1
K3636WHI	6 Mod Grid Plus Frontplate	-	1
K3638WHI	8 Mod Grid Plus Frontplate	-	1
K3639WHI	12 Gang Frontplate	-	1
K181WHI	1 Module 25 x 50mm Euro Frontplate	-	1
K182WHI	1Gang Euro Frontplate	-	1
K184WHI	2 Gang Euro Frontplate	-	1



10 & 20 Amp Switch Modules

Code	Description	Price	Qty
K4881WHI	10 Amp SP 1 Way Switch	-	1
K4882WHI	10 Amp SP 2 Way Switch	-	1
K4885WHI	10 Amp SP 1 Way Push Switch	-	1
K4900WHI	10 Amp Retractive Switch Module	-	1
K4891WHI	20 Amp SP 1 Way Switch	-	1
K4892WHI	20 Amp SP 2 Way Switch	-	1
K4893WHI	20 Amp Intermediate Switch	-	1
K4896WHI	20 Amp DP 1 Way Switch	-	1



13 Amp Fuse Unit Module

Code	Description	Price	Qty
K4890WHI	13 Amp Fuse Unit Accessory Module	-	1



Blank Insert

Code	Description	Price	Qty
K4880WHI	1 Module Grid Blank Insert - white	-	1



Secret Key Switch Modules

Code	Description	Price	Qty
K4898ELWHI	20 Amp SP 2 Way Secret Key SW-EMG LTG	-	1
K4898WHI	20 Amp SP 2 Way Secret Key Switch	-	1
K4917ELWHI	20 Amp DP 1 Way Secret Key SW-EMG LTG	-	1
K4917WHI	20 Amp DP 1 Way Secret Key Switch	-	1



Surface Boxes

Code	Description	Price	Qty
K8891ALM	1 Gang Box with Knockouts	-	1
K8892ALM	2 Gang Box with Knockouts	-	1
K8893ALM	6-8 Gang Surface Metal box with Knockouts	-	1
K8895ALM	4809-12 Gang Surface Metal box with Knockouts	-	1
893ALM	Drawn Box	-	1
895ALM	9/12G Flush box with knockouts	-	1



MK Logic Plus:

The widest selection of wiring devices in one range, made from urea, which has inherent anti-microbial properties.



Connection Boxes

Code	Description	Price	Qty
K1030WHI	13 Amp DP SW Connection Unit Front Flex	-	1
K1040WHI	13 Amp DP SW Connection Unit	-	1
K1060WHI	13 Amp DP SW Connection Unit / Neon	-	1
K1090WHI	1Gang Frontplate Flex Outlet	-	1
K330WHI	13 Amp DP Sw. Connection Unit / B. Flex	-	1
K337WHI	13 Amp Connection Unit B/Flex	-	1
K370WHI	13 Amp DP Sw. Connection Unit Bflex / Neon	-	1
K377WHI	13 Amp Connection Unit / B.Flex / Neon	-	1



Switch Socket Outlets

Code	Description	Price	Qty
K2746WHI	13 Amp 2 Gang DP Switch Socket Out Rocker	-	1
K2747WHI	13 Amp 2 Gang DP Switch Socket Outlet	-	1
K2757WHI	13 Amp 1 Gang DP Switch Socket Outlet	-	1



Switch Socket Outlet with USB

Code	Description	Price	Qty
K2744WHI	2 Gang DP Socket c/w 2 USB Ports	-	1
K2745WHI	2 Gang DP Socket c/w 2 Type C USB Ports	-	1



**Logic
Plus™**



Co-Axial Socket Outlet

Code	Description	Price	Qty
K3520WHI	1 Gang TV/FM Co-Ax Socket	-	1



Blank Plates

Code	Description	Price	Qty
K3827WHI	1 Gang Moulded Blankplate	-	1
K3828WHI	2 Gang Moulded Blankplate	-	1



Telephone Socket Outlet

Code	Description	Price	Qty
K422WHI	1 Gang Telephone Socket / Master	-	1
K427WHI	1 Gang Telephone Socket/Secondary	-	1



Archtrave Switch

Code	Description	Price	Qty
K4841WHI	10 Amp 1 Gang SP 2 Way Archtrave Switch	-	1



Three Pole Fan Isolator

Code	Description	Price	Qty
K4859WHI	3 Pole Fan Isolator No Lock & Key	-	1



Plate Switches

Code	Description	Price	Qty
K4870WHI	10AX SP 1 Gang 1 Way Plateswitch	-	1
K4871WHI	10AX SP 1 Gang 2 Way Plateswitch	-	1
K4872WHI	10AX SP 2 Gang 2 Way Plateswitch	-	1
K4873WHI	10 Amp 3 Gang SP 2 Way Plateswitch	-	1
K4875WHI	10 Amp 1 Gang Intermediate Plateswitch	-	1



Cooker Switches

Code	Description	Price	Qty
K5045WHI	Cooker Flex Connection Unit	-	1
K5060WHI	45 Amp Switch & Socket	-	1
K5061WHI	45A DP Cooker Unit & Neon	-	1



DP Switches

Code	Description	Price	Qty
K5105WHI	32 Amp DP Switch & Neon	-	1
K5205WHI	50 Amp 2 Gang DP Switch	-	1
K5403WHI	20 Amp DP Switch / B. Flex	-	1



**Logic
Plus™**



Shaver Unit

Code	Description	Price	Qty
K701WHI	Shaver Unit 115/230v 230v Input	-	1



A theben Group Company



Fused Connection Unit

Code	Description	Price	Qty
TIM/RCD10WPV	RCD White fused connection unit	-	1




make power smile




Socket Outlets

Code	Description	Price	Qty
K770WHI	2 Amp 1 Gang Round Pin Socket	-	1
K771WHI	5 Amp 1 Gang Round Pin Socket	-	1
K780WHI	13 Amp 1 Gang Socket	-	1



Surface Moulded Boxes

Code	Description	Price	Qty
K2160WHI	1 Gang 16mm Deep	-	1
K2140WHI	1 Gang 30mm Deep	-	1
K2031WHI	1 Gang 47mm Deep	-	1
K2142WHI	2 Gang 30mm Deep	-	1
K2151WHI	1 Gang Architrave Box	-	1
K2153WHI	3 Gang 30mm Deep	-	1




COMBI Junction Boxes

Code	Description	Price	Qty
60523	COMBI 108/5 - 76x76x51 - Grey	-	10/100
61998	COMBI 108/5 - 76x76x51 - Black	-	10/100
60401	COMBI 308/5 - 85x85x51 - Grey	-	5/100
60580	COMBI 308/5 - 85x85x51 - Black	-	5/100
61778	COMBI 607/5 - 110x110x66 - Grey	-	3/27
61779	COMBI 607/5 - 110x110x66 - Black	-	3/27
60703	COMBI 1010/5 - 140x140x81 - Grey	-	2
62215	COMBI 1010/5 - 140x140x81 - Black	-	2



IP68 Insulating Gel

Code	Description	Price	Qty
MP GEL 100	2 bottles x 0.5ltr	-	1



Earthing Plates

Code	Description	Price	Qty
EC308	Suitable for COMBI 308, pack of 2	-	1



SPRINT IP68 ESKV M20+ Cable Glands

Code	Description	Price	Qty
10100613	Grey	-	10
10100612	Black	-	10
10100611	White	-	10
10100614	Red	-	10



WIB Sealed Boxes

Code	Description	Price	Qty
WIB 1	110x110x60	-	1
WIB 2	160x120x71	-	1
WIB 3	165x145x84	-	1
WIB 4	230x180x88	-	1
WIB 5	320x250x135	-	1



Enclosure

Code	Description	Price	Qty
ELEX/DWPS1E	1G Empty Enclosure	-	1
ELEX/DWPS2E	2G Empty Enclosure	-	1



Socket

Code	Description	Price	Qty
ELEX/DWPS1	1G 13A DP Socket IP66	-	1
ELEX/DWPS2	2G 13A DP Socket IP66	-	1
ELEX/DWPS22RCD	2G 13A RCD Switched Socket IP66	-	1

1 Gang Switch



Code	Description	Price	Qty
ELEX/DWP1D	1G DP 20A Switch IP66	-	1
ELEX/DWPL12	1G 2W 20A Switch IP66	-	1
ELEX/DWPL12R	1G 2W Retractive 20A Switch IP66	-	1



2 Gang Switch

Code	Description	Price	Qty
ELEX/DWPL22	2G 2W 20A Switch IP66	-	1

Thrion® Thrions Metalclad, referred to as the Plymouth range holds a comprehensive portfolio of switches and sockets. The Plymouth range although sleek in design is primarily constructed with durable materials making it perfect for commercial and industrial environments such as factories, workshops and sheds. All product codes are available on Luckins



Connection Units

Code	Description	Price	Qty
THI/PL050/FO	13A Fused Con Unit C/W Neon + Flex Outlet	-	1
THI/PL053/FO	13A Fused Con Unit + Flex Outlet	-	1
THI/PL056	13A SW Fused Con Unit C/W Neon	-	1
THI/PL056/FO	13A SW Fused Con Unit C/W Neon + Flex Outlet	-	1
THI/PL059	13A SW Fused Con Unit	-	1
THI/PL059/FO	13A SW Fused Con Unit + Flex Outlet	-	1




2 Way 10AX Switches

Code	Description	Price	Qty
THI/PL011	1G 2WAY 10AX Switch	-	1
THI/PL013	2G 2WAY 10AX Switch	-	1
THI/PL015	3G 2WAY 10AX Switch	-	1
THI/PL017	4G 2WAY 10AX Switch	-	1
THI/PL020	6G 2WAY 10AX Switch	-	1



Double Pole Switched Sockets

Code	Description	Price	Qty
THI/PL035	1G 13A DP Switched Socket	-	1
THI/PL036	2G 13A DP Switched Socket	-	1



20A Double Pole Switches

Code	Description	Price	Qty
THI/PL201	20A DP Switch C/W Neon	-	1
THI/PL201/FO	20A DP Switch C/W Neon + Flex Outlet	-	1
THI/PL202	20A DP Switch	-	1
THI/PL202/FO	20A DP Switch + Flex Outlet	-	1



45A Double Pole Switches

Code	Description	Price	Qty
THI/PL203	1G 45A DP Switch C/W Neon	-	1
THI/PL204	1G 45A DP Switch	-	1
THI/PL205	2G 45A DP Switch C/W Neon	-	1
THI/PL206	2G 45A DP Switch	-	1



Back Boxes And Blank Plates

Code	Description	Price	Qty
THI/PL071	1G Blank Plate	-	1
THI/PL072	2G Blank Plate	-	1
THI/PL282	1G 40mm Metal Clad Back Box C/W Knockouts	-	1
THI/PL285	2G 40mm Metal Clad Back Box C/W Knockouts	-	1



Fan Isolator Switch

Code	Description	Price	Qty
THI/PL021	3 Pole Fan Isolator Switch	-	1



Intermediate Switch

Code	Description	Price	Qty
THI/PL029	1G Intermediate 10AX Switch	-	1

Code	Description	Bundle Price	Standard Price
IAB002A	2m BS1363 13A fused plug to 16A Feed module	-	-
IAB301A	32A Rewirable Feed Module	-	-
IAB312A	32A Feed Module 5m DP1532	-	-
IAB450A	16A Protection Module c/w 16A RCBO	-	-
IAB470A	32A Protection Module c/w 32A RCBO	-	-
IAB502R	2 Gang Socket Module - Rotatable Grey - 2P+E	-	-
IAB504F	4 Gang Socket Module - Fixed 90° Grey - 2P+E	-	-
IAB504R	4 Gang Socket Module - Rotatable Grey - 2P+E	-	-
IAB532R	2 Gang Socket Module 3.15A Indiv Fused - Rotatable Grey - 2P+E	-	-
IAB534F	4 Gang Socket Module 3.15A Indiv Fused - Fixed 90° Grey - 2P+E	-	-
IAB534R	4 Gang Socket Module 3.15A Indiv Fused - Rotatable Grey - 2P+E	-	-
IAB600B	16A Male Interconnect c/w female GST connector	-	-
IAB620A	2.0m 16A Intersoc male and female Interconnect	-	-
IAC312A	32A Feed Module 5m JP2532 LN	-	-
IAC504F	4 Gang Socket Module - Fixed 90° Green - 2P+CE	-	-
IAC504R	4 Gang Socket Module - Rotatable Green - 2P+CE	-	-
IAC534R	4 Gang Socket Module 3.15A Indiv Fused - Rotatable Green - 2P+CE	-	-
IAZ001A	Blank End Cap	-	-
DF1010	Track Feed Unit White 63A 2P+E. Standard	-	-
DA1123	1.2m Power Track 63A 2P+E 4 White Outlets/300mm. Standard	-	-
DA1183	1.8m Power Track 63A 2P+E 6 White Outlets/300mm. Standard	-	-
DA1243	2.4m Power Track 63A 2P+E 8 White Outlets/300mm. Standard	-	-
DA1363	3.6m Power Track 63A 2P+E 12 White Outlets/300mm. Standard	-	-
DP1332	3m 32A Unfused White Tap Off Unit 2P+E, with M/Flex Conduit. Standard	-	-
DP1532	5m 32A Unfused White Tap Off Unit 2P+E, with M/Flex Conduit. Standard	-	-
JF2010	Track Feed Unit Green 63A 2P+E+CE. Low Noise	-	-
JA2123	1.2m Power Track 63A 2P+E+CE 4 Green Outlets/300mm. Low Noise	-	-
JA2183	1.8m Power Track 63A 2P+E+CE 6 Green Outlets/300mm. Low Noise	-	-
JA2243	2.4m Power Track 63A 2P+E+CE 8 Green Outlets/300mm. Low Noise	-	-
JA2363	3.6m Power Track 63A 2P+E+CE 12 Green Outlets/300mm. Low Noise	-	-
JP2332	3m 32A Unfused Green Tap Off Unit 2P+E+CE, M/Flex Conduit. Low Noise	-	-
JP2532	5m 32A Unfused Green Tap Off Unit 2P+E+CE, M/Flex Conduit. Low Noise	-	-
CR011	3 Compartment Floor Box 75mm deep single base, uses 100mm plates	-	-
CR012	3 Compartment Floor Box 85mm deep single base, uses 100mm plates	-	-
CR022	100mm Plate c/w 2 Gang Switched Socket Outlet	-	-
CR036	100mm Plate c/w 2 Gang RCD Socket Outlet	-	-
CR043	100mm Plate c/w 2 Gang RCD Socket Outlet - Low Noise	-	-
CR101	3 Compartment Floor Box c/w 2 Gang Switched Socket and DP1532 Tap Off	-	-
CR101R	3 Compartment Floor Box c/w 2 Gang RCD Socket and DP1532 Tap Off	-	-
CR102	3 Compartment Floor Box c/w 2x2 Gang Switched Socket and DP1332 Tap Off	-	-
CR103	3 Compartment Floor Box c/w 2x2 Gang Switched Socket and DP1532 Tap Off	-	-
CR103R	3 Compartment Floor Box c/w 2x2 Gang RCD Socket and DP1532 Tap Off	-	-
CR113	3 Compartment Floor Box c/w 2x2 Gang Switched Socket and JP2532 Tap Off	-	-
CR123R	4 Compartment Floor Box c/w 2x2 Gang RCD Socket and DP1532 Tap Off	-	-
CR4002	4 Compartment Floor Box 85mm deep single base, uses 75mm plates	-	-
CR4111	75mm Plate c/w 2 Gang RCD Socket Outlet	-	-
CR4403	Floor box c/w RCD & 2 x TSSO+ DP1532 with 1 spare 75mm cmpt	-	-
EG0010	140mm dia Raised Access Floor Outlet Grommet	-	-
EG0030	169mm dia Raised Access Floor Outlet Grommet	-	-
EG0040	169mm dia Cleaners Floor Grommet c/w single unswitched socket	-	-
EG0045	169mm dia RCD Cleaners Floor Grommet	-	-
EG0055	232mm dia Raised Access Floor Outlet Grommet	-	-



EVA-07S-SE / EVA-07S-SE RFID

PROJECT **EV**

Pro Earth (Single Phase)

- ⚡ Meet the next generation of EV charge points.
- ⚡ New simple RCD inspection chamber
- ⚡ Market beating pricing
- ⚡ Built in earthing arrangement means no costly groundwork, holes in driveways or additional mess or costly earth spike installation



STABLE

IP65 protection grade, capable for harsh environmental conditions




INTELLIGENT

Intelligent power adjustment, emergency stop, Wifi/APP/ethernet monitoring



TIME SHIFTING

You could save 100's per year by utilising off peak energy tariffs to charge your vehicle



Code	Description	Price	Qty
EVA-07S-SE	Pro Earth Car Charging Point	-	1





Sentry Range:

The Sentry range of Consumer Units from MK Electric has been stylishly designed to blend in with its environment. The curved lines and slim-line appearance mean it won't look out of place when installed in hallways, lounges or kitchens of new properties.



Single Module RCBO's

Code	Description	Price	Qty
7932S	6 Amp 30mA Single Module RCBO	-	1
7933S	10 Amp 30mA Single Module RCBO	-	1
7934S	16 Amp 30mA Single Module RCBO	-	1
7935S	20 Amp 30mA Single Module RCBO	-	1
7936S	32 Amp 30mA Single Module RCBO	-	1
7937S	40 Amp 30mA Single Module RCBO	-	1

Type B MCB's

Code	Description	Price	Qty
MK5906S	6 Amp SP MCB 6KA Type B	-	1
MK5910S	10 Amp SP MCB 6KA Type B	-	1
MK5916S	16 Amp SP MCB 6KA Type B	-	1
MK5920S	20 Amp SP MCB 6KA Type B	-	1
MK5932S	32 Amp SP MCB 6KA Type B	-	1
MK5940S	40 Amp SP MCB 6KA Type B	-	1



18th Edition Type A Board & RCDS

Code	Description	Price	Qty
K7678SMET-A	Consumer Unit C/W Main Switch 2 X RCDS & 12 MCBS	-	1
K7666SMET-A	16W Metal Board 100A & 2 X 63A RCD 10MCB Type A	-	1

MCCB's

Code	Description	Price	Qty
NZMB1-1-AF16	MEM 3 Panelboard Outgoing MCCB 16A 25KA	-	1
NZMB1-1-AF20	MEM 3 Panelboard Outgoing MCCB 20A 25KA	-	1
NZMB1-1-AF63	MEM 3 Panelboard Outgoing MCCB 63A 25KA	-	1
NZMB1-A20	MEM 3 Panelboard Outgoing MCCB 20A 25KA	-	1
NZMB1-A32	MEM 3 Panelboard Outgoing MCCB 32A 25KA	-	1
NZMB1-A40	MEM 3 Panelboard Outgoing MCCB 40A 25KA	-	1
NZMB1-A50	MEM 3 Panelboard Outgoing MCCB 50A 25KA	-	1
NZMB1-A63	MEM 3 Panelboard Outgoing MCCB 63A 25KA	-	1
NZMB1-A80	MEM 3 Panelboard Outgoing MCCB 80A 25KA	-	1
NZMB1-A100	MEM 3 Panelboard Outgoing MCCB 100A 25KA	-	1
NZMB1-A125	MEM 3 Panelboard Outgoing MCCB 125A 25KA	-	1
NZMB1-A160	MEM 3 Panelboard Outgoing MCCB 160A 25KA	-	1
EPBN1BP1	Memshield 3 Panelboard N1 MCCB Blanking Shield. Single Pole. Use 3 for TP MCCB	-	1



Switch Fuses

Code	Description	Price	Qty
100AXTN2	100A TPN EXEL 2 SWD	-	1
100KXTNC2F	100A TPN EXEL2 SWDF HRC Fitted	-	1
125KXTNC2F	125A TPN EXEL2 SWDF HRC Fitted	-	1
15AXTN2	20A TPN EXEL 2 SWD	-	1
15KXTNC2F	20A TPN EXEL 2 SWDF HRC Fitted	-	1
30AXTN2	32A TPN EXEL 2 SWD	-	1
30KXTNC2F	32A TPN EXEL 2 SWDF HRC Fitted	-	1
60AXTN2	63A TPN EXEL 2 SWD	-	1
60KXTNC2F	63A TPN EXEL 2 SWDF HRC Fitted	-	1
103GNC	100A TPN GLAS F-SW-Surface	-	1
203GNC	200A TPN GLAS F-SW-Surface	-	1
303GNC	315A TPN GLAS F-SW-Surface MT	-	1

Panel Boards

Code	Description	Price	Qty
EPBN1425	Memshield 3 Panelboard 250A, 4 Way. Outgoing up to 160A	-	1
EPBN1625	Memshield 3 Panelboard 250A, 6 Way. Outgoing up to 160A	-	1
EPBN1825	Memshield 3 Panelboard 250A, 8 Way. Outgoing up to 160A	-	1
N2-250-KCO	N2 3POLE 250A Isolator Incomer	-	1
N2-4-250-KCO	N2 4POLE 250A Isolator Incomer	-	1
EPBKN1253	Memshield 3 Panelboard Incomer Kit 3-Pole MCCB or Isolator 250A	-	1
EPBKN1253M	Memshield 3 Panelboard Incomer Kit 3-Pole MCCB or Isolator 250A. Metering Version	-	1
EPBN1EX250M	Memshield 3 Panelboard Incoming Digital Meter Pack Enclosure 250A	-	1
EPBMETER1	Memshield 3 DIN 96mm Multifunction Meter. Pulsed and Modbus Output	-	1
EPBN1SUPM	Memshield 3 250A Panelboard Meter Voltage Supply Kit for EPBMETER1	-	1
EPBN1640	Memshield 3 Panelboard 400A, 6 Way. Outgoing up to 160A	-	1
EPBN11240	Memshield 3 Panelboard 400A, 12 Way. Outgoing up to 250A	-	1
N3-400	Memshield 3 Panelboard Incoming Isolator N3 3-pole 400A	-	1
N3-4-400	Memshield 3 Panelboard Incoming Isolator N3 4-pole 400A	-	1
EPBKN2403	Memshield 3 Panelboard Incomer Kit 3-Pole MCCB or Isolator 400A	-	1
EPBKN2403M	Memshield 3 Panelboard Incomer Kit 3-Pole MCCB or Isolator 400A. Metering Version	-	1
EPBN2EX250M	Memshield 3 Panelboard Incoming Digital Meter Pack Enclosure 400A	-	1
EPBN3SUPM	Memshield 3 400A/630A/800A Panelboard Meter Voltage Supply Kit for EPBMETER1	-	1



Powering Business Worldwide

Single Pole RCBO'S



Triple Pole MCB'S



Single Pole MCB'S



Main Switches & RCD'S



MEM Shield 3
Type A Distribution Boards



MEM Shield 3
Type B Distribution Boards



Single Pole RCBO'S

Code	Description	Price	Qty
EMB106R30C	6A 30MA Type B RCBO	-	1
EMB110R30C	10A 30MA Type B RCBO	-	1
EMB116R30C	16A 30MA Type B RCBO	-	1
EMB120R30C	20A 30MA Type B RCBO	-	1
EMB132R30C	32A 30MA Type B RCBO	-	1
EMB140R30C	40A 30MA Type B RCBO	-	1
EMCH106R30C	6A 30MA Type C RCBO	-	1
EMCH110R30C	10A 30MA Type C RCBO	-	1
EMCH116R30C	16A 30MA Type C RCBO	-	1
EMCH120R30C	20A 30MA Type C RCBO	-	1
EMCH132R30C	32A 30MA Type C RCBO	-	1
EMCH140R30C	40A 30MA Type C RCBO	-	1

Triple Pole MCB'S

Code	Description	Price	Qty
EMB306	6A TP Type B MCB 10KA	-	1
EMB310	10A TP Type B MCB 10KA	-	1
EMB316	16A TP Type B MCB 10KA	-	1
EMB320	20A TP Type B MCB 10KA	-	1
EMB332	32A TP Type B MCB 10KA	-	1
EMB340	40A TP Type B MCB 10KA	-	1
EMCH306	6A TP Type C MCB 10KA	-	1
EMCH310	10A TP Type C MCB 10KA	-	1
EMCH316	16A TP Type C MCB 10KA	-	1
EMCH320	20A TP Type C MCB 10KA	-	1
EMCH325	25A TP Type C MCB 10KA	-	1
EMCH332	32A TP Type C MCB 10KA	-	1
EMCH340	40A TP Type C MCB 10KA	-	1
EMCH350	50A TP Type C MCB 10KA	-	1
EMCH363	63A TP Type C MCB 10KA	-	1

MEM Shield 3 Type A Distribution Boards

Code	Description	Price	Qty
EAM10	10 Way SP&N Type A Board	-	1
EAM13	13 Way SP&N Type A Board	-	1
EAM16	16 Way 125A Type A Board	-	1
EAM4	4 Way SP&N Type A Board	-	1
EAM7	7 Way SP&N Type A Board	-	1

Main Switches & RCD'S

Code	Description	Price	Qty
EAMS1251N	125A Main Switch	-	1
EBMR100	100A 100MA RCCB	-	1
EBMR30	100A 30MA TP&N Incomer	-	1
EBMS1251N	125A SPSN Incomer	-	1
EBMS1253	125A TP Incomer	-	1
EBMS1253N	125A TP&SW N Incomer	-	1
MR30	30MA Field Fit RCD Pod	-	1

Single Pole MCB'S

Code	Description	Price	Qty
EMB106	6A SP Type B MCB 10KA	-	1
EMB110	10A SP Type B MCB 10KA	-	1
EMB116	16A SP Type B MCB 10KA	-	1
EMB120	20A SP Type B MCB 10KA	-	1
EMB132	32A SP Type B MCB 10KA	-	1
EMB140	40A SP Type B MCB 10KA	-	1
EMB150	50A SP Type B MCB 10KA	-	1
EMB163	63A SP Type B MCB 10KA	-	1
EMCH106	6A SP Type C MCB 10KA	-	1
EMCH110	10A SP Type C MCB 10KA	-	1
EMCH116	16A SP Type C MCB 10KA	-	1
EMCH120	20A SP Type C MCB 10KA	-	1
EMCH132	32A SP Type C MCB 10KA	-	1
EMCH140	40A SP Type C MCB 10KA	-	1
EMCH150	50A SP Type C MCB 10KA	-	1
EMCH163	63A SP Type C MCB 10KA	-	1
EMBP	1 MOD MCB Blank Module	-	1
EMDL	Door Barrel Lock 2 Key	-	1

MEM Shield 3 Type B Distribution Boards

Code	Description	Price	Qty
EBM121	12 Way TP&N Type B Board	-	1
EBM161	16 Way TP&N Type B Board	-	1
EBM182	18 Way TP&N Type B Board	-	1
EBM41	4 Way TP&N Type B Board	-	1
EBM61	6 Way TP&N Type B Board	-	1
EBM81	8 Way TP&N Type B Board	-	1



Metalclad Consumer Units

Code	Main Switch	Price	Qty
NM206/63	2 Way Metal Con Unit	-	1
NM506L	5 Way Metal Con Unit c/w 100A Switch	-	1
NM806L	8 Way Metal Con Unit c/w 100A Switch	-	1
NM1106L	11 Way Metal Con Unit c/w 100A Switch	-	1
NM1406L	14 Way Metal Con Unit c/w 100A Switch	-	1
NM1906L	19 Way Metal Con Unit c/w 100A Switch	-	1
Code	RCD		
NMRS206/63	2 Way Metal Con Unit 63A 30mA	-	1
NMRS506L	5 Way Metal Con Unit c/w 100A RCD	-	1
NMRS806L	8 Way Metal Con Unit c/w 100A RCD	-	1



Breakers
not included

High Integrity Boards

Code	Description	Price	Qty
NMRS10SSLMHIA	10 Way Metal High Integrity Con Type A	-	1
NMRS15SSLMHIA	15 Way Metal High Integrity Con Type A	-	1



Switch Fuse Unit

Code	Description	Price	Qty
DSF100	Insulated Switch Fuse Unit 100A	-	1
DSF80	Insulated Switch Fuse Unit 80A	-	1
DSF60	Insulated Switch Fuse Unit 60A	-	1
DSFNF	Switch Fuse - Unfused	-	1
DSF100M	Metal Switch Fuse Unit 100A - Rep. 110M	-	1
DSF80M	Metal Switch Fuse Unit 80A - Rep. 110M/80	-	1
DSF60M	Metal Switch Fuse Unit 60A - Rep. 160CM	-	1
DSFNF	Metal Switch Fuse - Unfused	-	1
EIU	Cable Gland For Metal Tails	-	1



RCD's

Code	Description	Price	Qty
WRDS100/2	2 Pole 100A RCD 30mA	-	1
WRDS63/2	2 Pole 63A RCD 30mA	-	1
WRDS80/2	2 Pole 80A RCD 30mA	-	1



2 Pole Isolator Mains Switch

Code	Description	Price	Qty
REC2	100A 2 Pole Isolator	-	1



MCB's & Accessories

Code	Description	Price	Qty
NH00	Wylex Blank	-	1
NHB1PP	Solid Cover and Busbar Blank Plate	-	1
NHBLM1	Solid Cover and Busbar Blank Plate - Dummy	-	1
NHXLB06	B Type SP Miniature 6A MCB	-	1
NHXLB10	B Type SP Miniature 10A MCB	-	1
NHXLB16	B Type SP Miniature 16A MCB	-	1
NHXLB20	B Type SP Miniature 20A MCB	-	1
NHXLB25	B Type SP Miniature 25A MCB	-	1
NHXLB32	B Type SP Miniature 32A MCB	-	1
NHXLB40	B Type SP Miniature 40A MCB	-	1
NHXLB50	B Type SP Miniature 50A MCB	-	1
NHXLC06	C Type Miniature MCB	-	1
NHXLC10	C Type Miniature MCB	-	1
NHXLC16	C Type Miniature MCB	-	1
NHXLC20	C Type Miniature MCB	-	1
NHXLC32	C Type Miniature MCB	-	1
NHXLC40	C Type Miniature MCB	-	1
NHXLC50	C Type Miniature MCB	-	1
NMMB	Wylex Metal Twist Fit Cover Blank Plate	-	1



RCBO's

Code	Description	Price	Qty
NHXS1B06	Type B 6A Miniature RCBO	-	1
NHXS1B10	Type B 10A Miniature RCBO	-	1
NHXS1B16	Type B 16A Miniature RCBO	-	1
NHXS1B20	Type B 20A Miniature RCBO	-	1
NHXS1B25	Type B 25A Miniature RCBO	-	1
NHXS1B32	Type B 32A Miniature RCBO	-	1
NHXS1B40	Type B 40A Miniature RCBO	-	1
NHXS1C06	Type C 6A Miniature RCBO	-	1
NHXS1C10	Type C 10A Miniature RCBO	-	1
NHXS1C16	Type C 16A Miniature RCBO	-	1
NHXS1C20	Type C 20A Miniature RCBO	-	1
NHXS1C32	Type C 32A Miniature RCBO	-	1
NHXS1C40	Type C 40A Miniature RCBO	-	1



MCB Locking Device & Enclosures

Code	Description	Price	Qty
mcblbx	MCB Locking Device	-	1
ESE2	IP40 Insulated 2 Module	-	1



Meter Ready TPN Boards

Code	Description	Price	Qty
NHTN12MR	12 Way 125A Meter Ready TPN Board Exc	-	1
NHTN16MR	16 Way 125A Meter Ready TPN Board Exc	-	1
NHTN20MR	20 Way 125A Meter Ready TPN Board Exc	-	1
NHTN24MR	24 Way 125A Meter Ready TPN Board Exc	-	1
NHTN4MR	4 Way 125A Meter Ready TPN Board Exc	-	1
NHTN6MR	6 Way 125A Meter Ready TPN Board Exc	-	1
NHTN8MR	8 Way 125A Meter Ready TPN Board Exc	-	1



Single Pole RCBO's

Code	Description	Price	Qty
PSBS06-B/1	6A Single Mod Single Pole 30MA RCBO	-	1
PSBS06-C/1	6A Single Pole Single Mod RCBO C Type	-	1
PSBS10-B/1	10A Single Mod Single Pole 30MA RCBO	-	1
PSBS10-C/1	10A Single Pole Single Mod RCBO C Type	-	1
PSBS16-B/1	16A Single Mod Single Pole 30Ma RCBO	-	1
PSBS16-C/1	16A SP RCBO C Type 10KA	-	1
PSBS20-B/1	20A Single Mod Single Pole 30MA RCBO	-	1
PSBS20-C/1	20A Single Pole Single Mod RCBO C Type	-	1
PSBS32-B/1	32A Single Mod Single Pole 30MA RCBO	-	1
PSBS32-C/1	32A Single Pole RCBO C Type	-	1
PSBS40-B/1	40A Single Module Single Pole 30MA	-	1
PSBS40-C/1	40A Single Pole Single Mod RCBO C Type	-	1
PSBS50-C/1	50A Single Pole Single Mod RCBO C Type	-	1



Fully Loaded Distribution Boards

Code	Description	Price	Qty
WNM1769	10 Way Consumer Unit C/W 8 Mcbs & Blanks	-	1
WNM1770	15 Way Consumer Unit C/W 10 Mcbs & Blanks	-	1
WNM1772	8 Way Consumer Unit C/W 8 Mcbs & Spd & Blanks	-	1
WNM1773	13 Way Consumer Unit C/W 13 10mcb & Spd & Blanks	-	1



Metalclad Isolator

Code	Description	Price	Qty
921E	32A TP&N M/Clad Isolator	-	1



Single Pole MCB B Curve

Code	Description	Price	Qty
PSB06-B	6a single Pole MCB B Curve	-	1
PSB10-B	10a single Pole MCB B Curve	-	1
PSB16-B	single Pole 16A Type B MCB	-	1
PSB20-B	single Pole 20A Type B MCB	-	1
PSB32-B	single Pole 32A Type B MCB	-	1



Single Pole MCB C Curve

Code	Description	Price	Qty
PSB06-C	6A Single Pole MCB C Curve 10KA	-	1
PSB10-C	10A Single Pole MCB C Curve 10KA	-	1
PSB16-C	16A Single Pole MCB C Curve 10KA	-	1
PSB20-C	20A Single Pole MCB C Curve 10KA	-	1
PSB25-C	25A Single Pole MCB C Curve 10KA	-	1
PSB32-C	32A Single Pole MCB C Curve 10KA	-	1
PSB40-C	40A Single Pole MCB C Curve 10KA	-	1
PSB50-C	50A Single Pole MCB C Curve 10KA	-	1
PSB63-C	63A Single Pole MCB C Curve 10KA	-	1

Triple Pole MCB C Curve

Code	Description	Price	Qty
PSB306-C	6A Three Pole MCB C Curve 10KA	-	1
PSB310-C	10A Three Pole MCB C Curve 10KA	-	1
PSB316-C	16A Three Pole MCB C Curve 10KA	-	1
PSB320-C	20A Three Pole MCB C Curve 10KA	-	1
PSB325-C	25A Three Pole MCB C Curve 10KA	-	1
PSB332-C	32A Three Pole MCB C Curve 10KA	-	1
PSB340-C	40A Three Pole MCB C Curve 10KA	-	1
PSB350-C	50A Three Pole MCB C Curve 10KA	-	1
PSB363-C	63A Three Pole MCB C Curve 10KA	-	1



TPN Mains Switch

Code	Description	Price	Qty
WS123	Triple Pole 125A Switch Disconnecter	-	1



Surge Protection

Code	Description	Price	Qty
NM306FLEXS	3 WAY CON UNIT C/W TYPE 2 SPD	-	1
NM606FLEX6	6 WAY CON UNIT C/W TYPE 2 SPD	-	1
NM906FLEXS	9 WAY CON UNIT C/W TYPE 2 SPD	-	1
NM1206FLEXS	12 WAY CON UNIT C/W TYPE 2 SPD	-	1
NM1706FLEXS	17 WAY CON UNIT C/W TYPE 2 SPD	-	1
NMRS5SSLMHIS	5 WAY FLEXI CON UNIT C/W TYPE 2 SPD	-	1
NMRS8SSLMHIS	8 WAY FLEXI CON UNIT C/W TYPE 2 SPD	-	1
NMRS13SSLMHIS	13 WAY FLEXI CON UNIT C/W TYPE 2 SPD	-	1
FALNM1106FLEXS	11 WAY METER CAB UNIT C/W TYPE 2 SPD	-	1
NMRECSPD	100A MS C/W TYPE 2 SPD METAL	-	1
REC2SPD	100A MS C/W TYPE 2 SPD INSULATED	-	1
REC2MSPD	100A MS C/W TYPE 2 SPD METAL	-	1
REC2MLSPD	100A MS C/W TYPE 2 SPD METAL EXT	-	1

OPTIMUM



Digital Heating Control QEG-1 Programmer

Code	Description	Price	Qty
OP-PR1	QE1 Programmer	-	1
OP-PR2	QE2 Programmer	-	1



Room and Frost Thermostats

Code	Description	Price	Qty
OP-STTRS1	Room Thermostat	-	1
OP-STTRS2	Frost Thermostat	-	1
OP-STTRS1	6a Combi Room Thermostat	-	1



Electronic Boost Timer

Code	Description	Price	Qty
OP-EBT2	2HR Electronic Boost Timer	-	1
OP-SBST	24 Hour Timer	-	1
OP-SBSU	7 Day Timer	-	1



Fused Spur Timer

Code	Description	Price	Qty
OP-DFST	Digital Fused Spur Timer	-	1



Economy 7 Timeswitch

Code	Description	Price	Qty
OP-ECOSAVE	Economy 7 Timeswitch	-	1



Immersion Heater Timer

Code	Description	Price	Qty
OP-IHTGPT	24 Hour Timer	-	1
OP-IHTGPW	7 Day Timer	-	1
OP-IHTDIGI	24 Hour / 7 Day Timer	-	1



Wayer Heating Thermostat Pipe/Cylinder Stat

Code	Description	Price	Qty
OP-PCS	Tank Thermostat	-	1



Wifi Controllers

Code	Description	Price	Qty
OP-BM-IHTWF01	Boiler Module or Immersion & General Purpose Timer	-	1
OP-DRWF01	Wi-Fi DIN Rail Timer	-	1
OP-SBWF01	Wi-Fi Socket Box Timer	-	1
OP-TIPWF01	Wi-Fi Plug-in Timer	-	1
OP-TIP1000	Plug-in Timer	-	1



Touch Screen Room Thermostats

Code	Description	Price	Qty
OP-TOUCH	Touch Screen Digital Room Thermostat	-	1
OP-TOUCHRF	Touch Screen Digital RF Room Thermostat	-	1
OP-TPISTAT	RF205 Digital Programmable RF Room Thermostat	-	1



Mechanical Socket Box Timer

Code	Description	Price	Qty
ELEX/T100A-C	24Hr mechanical socket box timer	-	1
ELEX/T101A-C	7 Day mechanical socket box timer	-	1



Mechanical Immersion Heater Timer

Code	Description	Price	Qty
ELEX/T102A-C	24Hr mechanical immersion heater timer	-	1
ELEX/T80-C	Din mounted timer	-	1



Electronic Timer

Code	Description	Price	Qty
ELEX/T105A-C	7 Day electronic timer with 150hr batt	-	1
ELEX/T106A-C	7 Day electronic immersion timer	-	1



Mercury Air MWM-4CHPS Wireless 4 Channel Switching

Code	Description	Price	Qty
HAM190CHPS	4 Channel wireless system	-	1
HAM/MWM-4CHRC	4 Channel remote control key fob	-	1
HAM/MWM-4CHRT	4 Channel wall switch	-	1



Economy 7 Timer

Code	Description	Price	Qty
ELEX/T109-C	Economy 7 timer t109-c	-	1



Plug-in Timer

Code	Description	Price	Qty
ELEX/T73A-C	Plug-in 24hr mechanical	-	1
ELEX/T17B-C	Plug-in 7 day digital	-	1



Security Wall Switch Timer

Code	Description	Price	Qty
ELEX/T40S-C	Security wall switch timer	-	1
ELEX/T206-C	Switched fused timer spur with boost	-	1

TIMEGUARD

A theben Group Company

PIR Light Controller

Code	Description	Price	Qty
TIM/SLB2300	2300W PIR light controller black	-	1
TIM/SLW2300	2300W PIR light controller white	-	1




Surface Mount Ceiling PIR Presence Detector

Code	Description	Price	Qty
TIM/SLW360N	Surface Mount Ceiling PIR Presence Detector	-	1



Flush Mount Ceiling PIR Presence Detector

Code	Description	Price	Qty
TIM/SLFM360N	Flush Mount Ceiling PIR Presence Detector	-	1



- Adequate room for S-plan or Y-plan wiring
- Pre-wired links for easy installation
- 4 pre-linked neutral terminals
- 4 pre-linked earth terminals
- 4 pre-linked earth terminals
- 4 pre-linked earth terminals
- 4 pre-linked earth terminals
- 6 knockouts with cable restraints for surface wiring
- Dimensions H x W x D 122 x 229 x 43mm

16 Way Wiring Unit

OPTIMUM

Code	Description	Price	Qty
WIR16JB	16 Way Wiring Unit	-	1



- 24 Hour / 7 Day Digital Time Switch
- 230V 50Hz Operation
- Din-Rail Mounting
- SPST Switching
- Volt-Free N/O Contacts

24 Hour/7 Day Time Switch

OPTIMUM

Code	Description	Price	Qty
OP-DIN	24 Hour/7 Day Time Switch	-	1



- 3 channel programmer
- Ideal for control of 2 heating zones and hot water
- Part L1 compliant
- 5 year warranty

ChannelPlus H37XL

Code	Description	Price	Qty
HOR37XL	Three channel 7 day electronic	-	1



- Single circuit mechanical timeswitch
- Ideal for combi boilers
- Rotating 24hr dial
- Advance control to al;low manual ON and OFF

425 Coronet

Code	Description	Price	Qty
HOR 425C	Single circuit timeswitch	-	1



- Electronic programmable room thermostat
- Battery Powered
- 7 day programming
- Up to 6 temperature settings per day Battery low indicator

CentaurStat 7

Code	Description	Price	Qty
HOR CENT 7	Battery powered programmable room thermostat 7 day or 24 hour	-	1




- Twin circuit mechanical time clocks
- Ideal for gravity & fully pumped systems
- Rotating 24hr dial
- Advance control to al;low manual ON and OFF

425 Diadem and 425 Tiara

Code	Description	Price	Qty
HOR 425D	Single channel 24 hour	-	1
HOR 425T	Single channel 7 day timeswitch	-	1

- Single channel programmer
- 7 day programming
- Industry standard 6 pin backplate
- Mains powered with battery backup



CentuarPlus C17

Code	Description	Price	Qty
HORC17	Single channel 7 day timeswitch	-	1

- Mechanical immersion heater control
- Designed for use with Economy 7 tariffs
- Manual boost timer to provide extra hot water when required
- Industry standard wall box and connections



E7Q

Code	Description	Price	Qty
HOR Economy 7	Economy 7 timer boost control	-	1

CentaurPlus C27

Code	Description	Price	Qty
HORC27	Two channel 7 day programmer	-	1

- Two channel programmer
- 7 day programming
- Industry standard 6 pin backplate
- mains powered with battery backup



- Digital immersion heater control
- Designed for use with Economy 7 tariffs
- Manual or preprogrammed boost facility
- Fully interchangeable with all past & present E7 timers



- 2 channel programming
- 7 day programming
- Large back lit display
- Simple menu driven programming



Electronic 7

Code	Description	Price	Qty
HOR Electronic 7	Digital version of E7Q	-	1

ChannelPlus H27XL

Code	Description	Price	Qty
HOR27XL	Two channel 7 day electronic	-	1



- Wireless programmable room thermostat
- Large back lit display with menu driven programming
- 7 day programming
- Tamperproof facility
- Ideal for combi boilers

C-Stat 17-ZW Programmable Room Thermostat

Code	Description	Price	Qty
C-STAT 17-ZW	Wireless programmable room thermostat	-	1

- Single channel programmer
- 7 day programming
- Large back lit display
- Simple menu driven programming



ChannelPlus H17XL

Code	Description	Price	Qty
HOR17XL	Single channel 7 day time switch	-	1

- Simple water heating boost control
- 1 or 2 hour boost
- Always gives priority to off peak supply



BX2000

Code	Description	Price	Qty
HOR BX2000	Electronic 1 or 2 hour boost control	-	1

- Single push button electronic timer
- Suitable for loads up to 3kW
- Also available in wireless version



Electrisaver 2

Code	Description	Price	Qty
HOR/SIR020	(E15) SIR020 Single push button electronic timer - coming soon	-	1
HOR/SIR021	(E30) SIR022 Single push button electronic timer	-	1
HOR/SIR022	(E246) SIR022 Single push button electronic timer - coming soon	-	1

SANGAMO



- 24 hour, 5/2 day and 7 day selectable
- 2 or 3 ON/OFF periods selectable
- 1, 2 or 3 hour boost
- Advance to next programmed event
- Automatic Summer/Winter time change
- Standard wall plate - simple plug in and replace
- Pumped

Programmer

Code	Description	Price	Qty
SAN/PR1N	1 Channel Programmer	-	1



- 24 hour, 5/2 day and 7 day selectable
- 2 or 3 ON/OFF periods selectable
- 1, 2 or 3 hour boost
- Advance to next programmed event
- Automatic Summer/Winter time change
- Standard wall plate - simple plug in and replace
- Pumped or gravity system selectable

Programmer

Code	Description	Price	Qty
SAN/PR2N	2 Channel Programmer	-	1



- 24 hour, 5/2 day and 7 day selectable
- 2 or 3 ON/OFF periods selectable
- 1, 2 or 3 hour boost
- Advance to next programmed event
- Automatic Summer/Winter time change
- Standard wall plate - simple plug in and replace
- Pumped system
- Comply with Part L of the Building Regulations

Programmer

Code	Description	Price	Qty
SAN/PR3N	3 Channel Programmer	-	1



- Dual diaphragm temperature sensing element
- Suitable for surface or pattress box mounting
- 10 to 30°C Set point range
- 2 Wire Installation
- Three terminal heating/cooling changeover

Thermostat

Code	Description	Price	Qty
SAN/RSTAT1	Mechanical Thermostat	-	1



- Dual diaphragm temperature sensing element
- Suitable for surface or pattress box mounting
- 10 to 30°C Set point range
- 2 Wire Installation
- Three terminal heating/cooling changeover
- Complete with tamperproof cover

Thermostat

Code	Description	Price	Qty
SAN/RSTAT1T	Tamperproof Mechanical Thermostat	-	1



- LCD showing room temperature
- Comfort/Economy or ON/OFF modes
- Frost protection
- Battery Powered (with battery low indication)
- 2 wire installation
- 5-30°C set point range

Thermostat

Code	Description	Price	Qty
SAN/RSTAT3	Digital Thermostat	-	1



- 30 meters range to the Receiver
- Comfort/Economy or On/Off modes
- Unique RF address to avoid interference
- Clear LCD display showing room temperature
- Large control dial
- Frost protection
- 5-30°C set point range

Thermostat

Code	Description	Price	Qty
SAN/RSTAT3RF	Wireless Digital Thermostat	-	1



- 30 meters range to the Receiver
- Economy and Comfort Operation
- Unique RF address to avoid interference
- 24 hour or 7 day programmable
- 6 programmable events per day
- Button press back-lit operation
- Frost protection
- 5-35°C set point range

Thermostat

Code	Description	Price	Qty
SAN/RSTAT5RF	Wireless Digital Programmable Thermostat	-	1

SANGAMO



- Bi-Metallic temperature sensing element
- Suitable for surface or switch box mounting
- -5 to 25°C set point range
- Tamper resistant cover fitted with accelerator heater

Thermostat

Code	Description	Price	Qty
SAN/FSTAT1	Frost Thermostat	-	1



- Easy fixing to all hot water cylinders
- Suitable for use on uninsulated and foam lagged cylinders
- Cylinder strap and hooks provided
- Pipe mounting attachment included

Thermostat

Code	Description	Price	Qty
SAN/CSTAT	Cylinder Thermostat	-	1



- 30 mins, 1 hour and 2 hour boost periods
- Switches appliance off automatically after boost period
- Fits directly onto a single gang pattress box

Powersaver Controller

Code	Description	Price	Qty
SAN/PSB	Powersaver Boost	-	1



- Suitable for single, dual and twin immersion elements
- Pre-set adjustable (ie minimise or cancel) programs for use with low rate tariffs (Economy 7, Economy 10 & Eco20:20)
- Direct upgrade to Horstmann E7 & E7Q and Sangamo Q7 controllers
- 24 hour electronic timer
- Automatic summer/winter time change
- Programmable boost function - 2 hours max



- 24 hour, 5/2 day & 7 day selectable
- Up to 3 programs per day
- 30 min, 1 hour & 2 hour multi-press boost function
- Fits directly into a single gang surface box
- Button lock feature
- Automatic summer/winter time change

Powersaver Controller


Code	Description	Price	Qty
SAN/PSS	Powersaver Select	-	1



- Programming: 24 hour with on/off operations
- Current Rating: 20A
- Battery Reserve: None
- Day Omit Dial: Yes (Omits the 'ON' operation)
- Temporary override (manual button)

Powersaver Controller

Code	Description	Price	Qty
SAN/PSDF2	Powersaver Dual Flexi	-	1



- Programming: 24 hour with on/off operations
- Current Rating: 20A
- Battery Reserve: 100 hours

Round Pattern Time Switch

Code	Description	Price	Qty
SAN Q550.13.13	Astro Zone 3, 3 Pin Time Switch, 1 On/Off, Day Omit skips ON operation	-	1
SAN Q551.13.13	Astro Zone 3, 3 Pin Time Switch, 1 On/Off & optional early off	-	1
SAN Q551.14.13	Astro Zone 3, 3 Pin Time Switch, 2 On/Offs	-	1

Round Pattern Time Switch

Code	Description	Price	Qty
SAN S254 2 171	Standard 3 Pin Time Switch, 2 On/Offs	-	1
SAN S255 2 171	Standard 4 Pin Time Switch, 2 On/Offs	-	1



- Will accept 3/4in or 20mm conduit
- Fixings supplied
- Robust steel construction with black enamelled finish
- Compatible with S250, Q550 & E850 ranges

Time Switch Conduit Box

Code	Description	Price	Qty
SAN FD930	Conduit Box Time Switch	-	1

TIMEGUARD

A theben Group Company



360° Ceiling PIR Presence Detectors

Code	Description	Price	Qty
TIM/PDFM1500	360° Ceiling PIR Presence Detector Flush Mtd	-	1
TIM/PDRS1500	360° Ceiling PIR Presence Detector Surface Mtd	-	1



24 Hour and 7 Day Timeswitches

Code	Description	Price	Qty
TIM/FST24	24 Hour 1 Gang Fused Spur Timer	-	1
TIM/FST77	7 Day 1 Gang Fused Spur Timer	-	1



120° Wall Mounted Presence Detector

Code	Description	Price	Qty
TIM/PDWM1500	120° Wall Mtd Presence Detector	-	1



Wi-Fi Controlled Fused Spur

Code	Description	Price	Qty
TIM/FSTWIFI	Wi-Fi Controlled Fused Spur	-	1



24 Hour / 7 Day 16A Slim Immersion Heater Timers

Code	Description	Price	Qty
TIM/NTT05	24 Hour 16A Mechanical	-	1
TIM/NTT07	7 Day 16A Electronic	-	1



24 Hour 16A Socket Box Mechanical Timer

Code	Description	Price	Qty
TIM/NTT01	24 Hour 16A Socket Box Mechanical Timer	-	1

TIMEGUARD

A theben Group Company



24 Hour / 7 Day 16A Socket Box Electronic Timer

Code	Description	Price	Qty
TIM/NTT03	24 Hour/7 Day 16A Socket Box Electronic Timer	-	1



Electronic Frost and Room Thermostats

Code	Description	Price	Qty
TIM/TRT031	Electronic Frost Thermostat & Tamperproof Cover	-	1
TIM/TRT032	Electronic Room Thermostat & Tamper Proof Cover	-	1
TIM/TRT033C	Electronic Room Thermostat c/w Night Set Back	-	1



Electronic Room Thermostat

Code	Description	Price	Qty
TIM/TRT030	Electronic Room Thermostat	-	1



24 Hour / 7 Day Din Rail Timer

Code	Description	Price	Qty
TIM/TR610TOP2	24 Hour/7 Day Din Rail Timer	-	1



7 Day Digital Programmer 1 and 2 Channel

Code	Description	Price	Qty
TIM/TRT034	7 Day Digital Programmer 1 Channel	-	1
TIM/TRT036	7 Day Digital Programmer 2 Channel	-	1





140RC Series

SMOKE & HEAT ALARMS

Product Features:

Mains powered with 9V Alkaline battery back-up

easi-fit base

10 YEAR life

RadioLINK
COMPATIBLE



Ei141RC
Ionisation Smoke Alarm For fast flaming fires such as clothing
Recommended for:
-



Ei144RC
Heat Alarm For detecting heat build-up from large flaming fires
Recommended for:
-



Ei146RC
Optical Smoke Alarm Best for slow, smouldering fires such as sofas and electronics
Recommended for:
-

+

Ei168RC
RadioLINK Base Fit under any 140RC Alarm to enable RadioLINK wireless interconnection
-

600 Series

SMOKE & HEAT ALARMS

Product Features:

Battery powered by a sealed in Lithium cell

Easy to fit - twist on base and multi-fixings

10 YEAR life



Ei650RF
Optical Smoke Alarm Best for slow, smouldering fires such as sofas and electronics
Recommended for:
-



Ei650
Optical Smoke Alarm Best for slow, smouldering fires such as sofas and electronics
Recommended for:
-



Ei603RF
Heat Alarm For detecting heat build-up from large flaming fires
Recommended for:
-



Ei603
Heat Alarm For detecting heat build-up from large flaming fires
Recommended for:
-

Carbon Monoxide Battery Series

CARBON MONOXIDE ALARMS

Product Features:

Battery powered by a sealed in Lithium cell

Easy to fit - twist on base and multi-fixings

10 YEAR life

Proven electrochemical sensor

AudioLINK
BUILT IN



Ei208WRF
Recommended for:
It is advised to fit to BS EN 50292:2013 recommendations
Additional Feature
RadioLINK+ RadioLINK+ built in
-



Ei208
Recommended for:
It is advised to fit to BS EN 50292:2013 recommendations
N/A
-



As used
by 90% of
the UK's Fire
and Rescue
Services

SMART RF

When one alarm sounds, they all sound.

Intelligent wireless communication for up to 50 Smart RF devices (mains or battery).



Battery Powered Smoke and Heat Alarms

SMART RF

Smart RF products do not require a separate Smart RF module as the module is included.

SMART RF READY

Smart RF Ready products require a separate Smart RF Radio Module (FS1521W2-T) for Smart RF compatibility.

MULTI-SENSOR

Combines thermal enhancement with the latest in optical sensing technology for rapid detection of both fast flaming and slow smouldering fires in a single alarm.

THERMISTEK

Class A1 heat detection for a faster response under all conditions.

SMART RF READY



FS2126-T Smoke Alarm

MULTI-SENSOR

- 10 year sealed for life Panasonic battery
- Faster reaction to all types of fire
- BS EN 14604:2005+AC:2008
- Suitable for Grade F1 installations
- Smart RF Ready - Wirelessly interconnect up to 50 devices by fitting a Smart RF Radio Module (FS1521W2-T)
- 5 year warranty

SMART RF READY



FS1226-T Heat Alarm

THERMISTEK

- 10 year sealed for life battery
- Provides a quicker response to fast flaming fires - ideal to protect kitchens
- BS EN 14604:2005+AC:2008
- Suitable for Grade F1 installations
- Smart RF Ready - Wirelessly interconnect up to 50 devices by fitting a Smart RF Radio Module (FS1521W2-T)
- 5 year warranty



SB1-T Smoke Alarm

- 9V replaceable battery included
- High performance optical sensor reduces nuisance alarms
- Ideal where cost is a priority
- BS EN 14604:2005+AC:2008
- Suitable for Grade F2 installations
- 3 year warranty

Mains Powered with 10 Year Lithium Battery Back-up Suitable for Grade D1 installations

FireAngel SPECIFICATION featuring Smart RF technology

SM-SN-1 Multi-Sensor Smoke Alarm

SMART RF READY



MULTI-SENSOR

- Smart RF Ready - Wirelessly interconnect up to 50 Smart RF devices by fitting a Smart RF Radio Module (FS1521W2-T)
- Mixed system capability:
 - Mains and battery powered alarms on a network
 - Smart RF and hardwired alarms on a single network
- EN 14604:2005+AC:2008
- 10 year sealed for life Lithium Panasonic battery back-up
- 5 year warranty

HM-SN-1 Enhanced Heat Alarm

SMART RF READY



THERMISTEK

Class A1 mains heat alarm

- Smart RF Ready - Wirelessly interconnect up to 50 Smart RF devices by fitting a Smart RF Radio Module (FS1521W2-T)
- Mixed system capability:
 - Mains and battery powered alarms on a network
 - Smart RF and hardwired alarms on a single network
- BS 5446-2:2003
- 10 year sealed for life Lithium Panasonic battery back-up
- 5 year warranty

FS1521W2-T Smart RF Radio Module

SMART RF



- When one alarm sounds, they all sound
- For use with any Smart RF compatible smoke, heat or CO alarm
- When fitted allows up to 50 Smart RF devices to wirelessly interconnect within a network
- 10 year Lithium battery
- 5 year warranty

FS1524W2-T Wireless Alarm Control Unit

SMART RF



- Test, Silence, Locate, Memory function from one device
- Separate Fire and CO identification
- A remote interface for up to 50 Smart RF devices
- Portable or wall-mounted
- Testing multiple alarms becomes simple and fast
- 5 year warranty



Innovation



Reliability



Service

Carbon Monoxide Alarms - Battery Powered



CO-9B

- AA alkaline batteries
- LED display
- Free-standing or wall mounted
- BS EN 50291-1:2010+A1:2012
BS EN 50291-2:2010
- 7 year warranty



CO-9XT-FF

- 7 year sealed battery
- LED display
- Fast-Fit bracket for quick installation
- BS EN 50291-1:2010+A1:2012
BS EN 50291-2:2010
- 7 year warranty



CO-9D

- 7 year sealed battery
- Unique digital display
- Displays CO levels as low as 10ppm
- BS EN 50291-1:2010+A1:2012
BS EN 50291-2:2010
- 7 year warranty



CO-9X-10T-FF

- 10 year sealed battery
- LED display
- Fast-Fit bracket for quick installation
- BS EN 50291-1:2010+A1:2012
BS EN 50291-2:2010
- 10 year warranty



FS1326-T

- **SMART RF READY**
- Wirelessly interconnect up to 50 Smart RF devices by fitting a Smart RF Radio Module (FS1521W2-T)
- 10 year sealed battery
- Single or double point fixing options
- BS EN 50291-1 & 2: 2010
- 5 year warranty



FireAngel supports 'Project SHOUT'. The National Campaign to raise awareness of carbon monoxide poisoning.

www.projectshout.com

Mains Powered with 9V battery back-up Suitable for Grade D2 Installations

SW1-PF-T Smoke Alarm



- Enhanced optical technology reduces nuisance alarms
- Mains powered with 9V battery back-up
- Easy installation with Push-Fit base included with every alarm to ensure a quick and easy method of fitting
- BS EN 14604:2005+AC:2008
- 5 year warranty

Order Code	Description
SW1-PF-T	Mains Optical Smoke Alarm with 9V Battery Back-up

HW1-PF-T Heat Alarm



- Advanced thermistor sensing technology
- Mains powered with 9V battery back-up
- Easy installation with Push-Fit base included with every alarm to ensure a quick and easy method of fitting
- BS 5446-2:2003
- 5 year warranty

Order Code	Description
HW1-PF-T	Mains Heat Alarm with 9V Battery Back-up

CW1-PF-T Carbon Monoxide Alarm



- Enhanced Electrochemical Technology
- Mains powered with 9V battery back-up
- Easy installation with Push-Fit base included with every alarm to ensure a quick and easy method of fitting
- BS EN 50291-1:2010
- 5 year warranty

Order Code	Description
CW1-PF-T	Mains Carbon Monoxide (CO) Alarm with 9V Battery Back-up

RF-BW-T RF Interlink Base



- Wirelessly interlink up to 50 x SW1-PF-T, HW1-PF-T, CW1-PF-T or hardware interlink up to 12 x SW1-PF-T, HW1-PF-T, CW1-PF-T
- Quick to install and quick to link
- Easy installation with Push-Fit docking base system
- 5 year warranty

Order Code	Description
RF-BW-T	RF Interlink Base

Every home needs protection against the flames and smoke of accidental house fires and the toxic carbon monoxide (CO) that can leak from poorly maintained fuel-burning appliances, such as boilers, gas and wood-burning fires or faulty flues.

Kidde Safety, manufacturers of home fire safety products, offer a wide range of premium protection products that can save lives, protect property and can boost your business.

- For **optimal protection** fit all Kidde products as recommended by the manufacturer.
- For **maximum effectiveness** recommend that all products are tested regularly and batteries renewed frequently.
- For **total peace-of-mind** ensure suitable products from the whole Kidde range are installed for all-round protection.



Code	Description	Price	Qty
------	-------------	-------	-----

PREMIUM CARBON MONOXIDE (CO) ALARMS

KID/5COLSB	Battery CO alarm	-	1
KID/7COB	Battery CO alarm - 10 Year life	-	1
KID/10LLCO	Long Life CO alarm - 10 Year Sealed in lithium battery	-	1
KID/4MCO	Hard-wired CO alarm, interconnectable	-	1
KID/4MDCO	Hard-wired CO alarm, interconnectable + digital display	-	1



Code	Description	Price	Qty
------	-------------	-------	-----

COMBINATION SMOKE + CARBON MONOXIDE ALARMS

KID/10SCO	Battery Combination smoke + CO alarm with voice warning	-	1
KID/WFPCO	Battery smoke + CO alarm with lithium battery	-	1



Code	Description	Price	Qty
------	-------------	-------	-----

ESSENTIAL PACK: 1 SMOKE + 1 CARBON MONOXIDE ALARM

KID/COSAC	A pair of battery alarms in one pack: the popular 29HD smoke and 5CO carbon monoxide alarms.	-	1
-----------	--	---	---



Code	Description	Price	Qty
------	-------------	-------	-----

FIRE SAFETY EXTINGUISHERS AND FIRE BLANKET

KID/KS1KG	1kg multi-purpose fire extinguisher	-	1
KID/KSPD2G	2kg multi-purpose fire extinguisher	-	1
KID/FB1	1.1m x 1.1m fire blanket	-	1

PRODUCTS THAT SAVE LIVES

FROM THE EXPERTS AT KIDDE

Code	Description	Price	Qty
------	-------------	-------	-----

BATTERY SMOKE ALARMS

KID/29HD	Compact optical smoke alarm with hush feature	-	1
KID/DY29	Compact optical smoke alarm with 5-year battery life + hush	-	1
KID/10Y29UK	10-year sealed-in lithium battery, optical smoke alarm + hush	-	1



Code	Description	Price	Qty
------	-------------	-------	-----

FIREX PROVEN SMOKE AND HEAT ALARMS

KID/KF20	Hard-wired optical smoke alarm	-	1
KID/KF20LL	Hard-wired optical smoke alarm with lithium back-up battery	-	1
KID/KF20R	Hard-wired optical smoke alarm with rechargeable battery	-	1
KID/KF30	Hard-wired heat alarm	-	1
KID/KF30LL	Hard-wired heat alarm with lithium back-up battery	-	1
KID/KF30R	Hard-wired heat alarm with rechargeable battery	-	1
KID/SMK4896	Surface pattress for use with Firex	-	1
KID/SMK23RU	Relay pattress for use with Firex	-	1
KID/REMTH	Remote test and hush for use with Firex and Kidde Slick	-	1

FIREX



Code	Description	Price	Qty
------	-------------	-------	-----

SLICK PREMIUM, HARD-WIRED, SMOKE + HEAT ALARMS

KID/1SFW	Ionisation smoke alarm with alkaline back-up battery	-	1
KID/1SFWR	Ionisation smoke alarm with rechargeable lithium back-up battery	-	1
KID/2SFW	Optical smoke alarm with alkaline back-up battery	-	1
KID/2SFWR	Optical smoke alarm with rechargeable lithium back-up battery	-	1
KID/3SFW	Heat alarm with alkaline back-up battery	-	1
KID/3SFWR	Heat alarm with rechargeable lithium back-up battery	-	1
KID/RF-SFTP	Wireless pattress for use with Kidde Slick alarms	-	1
KID/REMTH	Remote test and hush for use with Firex and Kidde Slick	-	1


SLICK



WYLEX CONSUMER UNITS WITH DEVICES



WHY CHOOSE ANYTHING LESS?



Flexible Consumer Units with MCBs

- Flexible configuration:-
 - Dual RCD or
 - High Integrity – with space for RCBOs
- 100A twin terminal mains isolator
- Type A RCDs (80A rated)
- Cable entries on all sides
- Lockable visor
- Compact enclosure size
- Fully compliant with BS EN 60439-3
- 18th Edition compliant

WNM1769	WNM1770
10 way Consumer Unit with 8 MCBs & blanks	15 way Consumer Unit with 10 MCBs & blanks
3x6A, 1x16A, 4x32A	3x6A, 2x16A, 5x32A
£ -	£ -

Surge Protected Flexible Consumer Units with MCBs

- Flexible configuration:-
 - Dual RCD or
 - High Integrity – with space for RCBOs
- 100A twin terminal mains isolator
- Factory fitted surge protection device
- Prewired & connected
- Type A RCDs (80A rated)
- Cable entries on all sides
- Lockable visor
- Compact enclosure size
- Fully compliant with BS EN 60439-3
- 18th Edition compliant

WNM1772	WNM1773
8 way Consumer Unit with 8 MCBs & SPD & blanks	13 way Consumer Unit with 10 MCB & SPD & blanks
3x6A, 1x16A, 4x32A	3x6A, 2x16A, 5x32A
£ -	£ -



To place an order email sales@electracentre.co.uk

electrium

WY2564



Disabled Persons Toilet Alarm Kit

- Simple install, 3 part kit - Indication Module, Pull cord module & Reset Module
- Meets Part M building regulations and BS8300
- Antibacterial properties
- Alarm to raise alert for assistance
- Compact design to suit many interiors
- Supplied with disabled persons sticker
- All modules supplied with single gang back box
- Expandable to include additional indication and pull cord modules



Code	Description	Price	Qty
UDTAKIT	Disabled Persons Toilet Alarm Kit	-	1
UDTALBM	Light & Buzzer Module	-	1
UDTAPCM	Pull Cord Module	-	1
UDTAPLBM	Power, Light And Buzzer Module	-	1
UDTAREM	Reset Module	-	1
UDTAKITSS	SS BBB Disabled Toilet Alarm Kit	-	1
UDTALBMSS	SS Power, Light And Buzzer Module	-	1
UDTAREMSS	SS Remote Indicator Module	-	1
UDTAPLBMSS	SS Light And Buzzer Module	-	1
UDTAPCMSS	SS Pull Chord Module	-	1
UDTASMBSS	SS Surface Mount Box	-	1



Rechargeable Batteries

Code	Description	Price	Qty
Y0.8-12V	0.8Ah 12V Yucel Battery	-	1
Y1.2-12V	1.2Ah 12V Yucel Battery	-	1
Y2.1-12V	2.1Ah 12V Yucel Battery	-	1
Y2.8-12V	2.8Ah 12V Yucel Battery	-	1
Y7-12V	7Ah 12V Yucel Battery	-	1
Y4-12V	4Ah 12V Yucel Battery	-	1
Y10-6V	10Ah 6V Yucel Battery	-	1
Y12-12V	12Ah 12V Yucel Battery	-	1
Y12-6V	12Ah 6V Yucel Battery	-	1
Y17-12V	17Ah 12V Yucel Battery	-	1
Y24-12V	24Ah 12V Yucel Battery	-	1
Y3.2-12V	3.2Ah 12V Yucel Battery	-	1
Y38-12V	38Ah 12V Yucel Battery	-	1
Y4-6V	4Ah 6V Yucel Battery	-	1

TFCR

- Flame Retardant
- Certified for 2 Hours at 970°C
- Certified to BS5839.
- Maintains adequate support at high temperatures
- Test reports available on request.
- 18th Edition Compliant and Fully Tested & Certified for 2 hours and 930°C



TFC38 & TFC50 & TFC

- Flame Retardant
- Certified for 2 Hours at 930°C
- Certified to BS5839.
- Maintains adequate support at high temperatures
- Test reports available on request.
- 18th Edition Compliant and Fully Tested & Certified for 2 hours and 930°C



Code	Description	Price	Qty
DEL/TFC	FIRE CLIP FOR TRUNKING - PER 100	-	1
DEL/TFC38	FIRE CLIP FOR TRUNKING 38MM - PER 100	-	1
DEL/TFC50	FIRE CLIP FOR TRUNKING 50MM - PER 100	-	1
DEL/TFCR	FIRE CLIP FOR TRUNKING - PER 100	-	1

UNDERFLOOR
HEATING



TOWEL
RAILS



HEATING
THERMOSTATS



WE DON'T DO **JUST** RADIATORS



VERTICAL
RADIATORS

MODERN
WATER HEATERS



EFFICIENT
RADIATORS



Discover our widest range
of heating products ever

We're so much more than just a radiator manufacturer.
Discover the widest heating range we've ever had, including
vertical radiators, water heaters and underfloor heating solutions.
Take a look now!



Now
available at **eCD**
Electrocentre Distribution

0203 321 5928 | sales@rointe.co.uk | www.rointe.co.uk

Koreflex Flexible Conduit Solutions

Metallic & Non-Metallic



Koreflex Flexible Contractor Packs

Code	Description	Price	Qty
ELEX/KNP/20CP	Blk Polypropylene 20mm Contractor Pack - IP66	-	1
ELEX/KNP/20WCP	Whi Polypropylene 20mm Contractor Pack - IP66	-	1
ELEX/KNP/25CP	Blk Polypropylene 25mm Contractor Pack - IP66	-	1
ELEX/KNP/25WCP	Whi Polypropylene 25mm Contractor Pack - IP66	-	1



PVC Coated Flexible Conduit

Code	Description	Price	Qty
KMPS20/10M	Blk PVC Coated Galv Steel Flexi Conduit - 10 Metres	-	1
KMPS20/30M	Blk PVC Coated Galv Steel Flexi Conduit - 30 Metres	-	1
KMPS20/50M	Blk PVC Coated Galv Steel Flexi Conduit - 50 Metres	-	1
KMPS25/10M	Blk PVC Coated Galv Steel Flexi Conduit - 10 Metres	-	1
KMPS25/30M	Blk PVC Coated Galv Steel Flexi Conduit - 30 Metres	-	1
KMPS25/50M	Blk PVC Coated Galv Steel Flexi Conduit - 50 Metres	-	1

Atkore™
Koreflex




Galvanised Steel Flexible Conduit

Code	Description	Price	Qty
KMS20/10M	Bare Galv Steel Flexi Conduit 20mm - 10m	-	1
KMS20/30M	Bare Galv Steel Flexi Conduit 20mm - 30m	-	1
KMS20/50M	Bare Galv Steel Flexi Conduit 20mm - 50m	-	1
KMS25/10M	Bare Galv Steel Flexi Conduit 25mm - 10m	-	1
KMS25/30M	Bare Galv Steel Flexi Conduit 25mm - 30m	-	1
KMS25/50M	Bare Galv Steel Flexi Conduit 25mm - 50m	-	1



Glands & Locknuts

Code	Description	Price	Qty
KMG20/M20/F	20mm Fixed Gland with M20 Thread (PK10)	-	1
KMG20/M20/S	20mm Swivel Gland with M20 Thread (PK10)	-	1
KMG25/M25/F	25mm Fixed Gland with M20 Thread (PK10)	-	1
KMG25/M25/S	25mm Swivel Gland with M20 Thread (PK10)	-	1
KMLN20	Steel M20 Locknut (PK10)	-	1
KMLN25	Steel M25 Locknut (PK10)	-	1



3 Compartment Cavity Floor Box & Accessory Plates

Code	Description	Price	Qty
TAFB3	3 Compartment Cavity Floor Box 76MM	-	1
SPE ST0283	Blank Plate	-	1
SPE ST0284	4 x Data Plate (LJ6C)	-	1
SPE ST0284/W	4 x Wave Data Plate (LJ6C)	-	1
SPE ST0286	2 x Standard 1 Gang Plate	-	1

Other box depths & RCD Socket options available upon request.

Code	Description	Price	Qty
SPE ST0287	Standard 2 Gang Plate	-	1
SPE ST0289	6 x Data Plate (LJ6C)	-	1
SPE ST0291	Twin Switched Sockets	-	1
SPE ST0294	2 x 50mm Euro Module Plate	-	1




Prestige 3D Compact Trunking

Please be aware that all trunking orders need to be made in pack quantities

Code	Description	Price	Qty
VP100WHI	Straight Cover (30) Per M	-	1
VP110WHI	Curved Cover (30) Per M	-	1
VP115WHI	Square Cover 3D Skirting (30) Per M	-	1
VP121WHI	1 Gang Back Box	-	1
VP122WHI	2 Gang Back Box	-	1
VP123WHI	3 Gang Back Box	-	1
VP131WHI	1 Gang Back Box Frame	-	1
VP132WHI	2 Gang Back Box Frame	-	1
VP180WHI	Main Carrier (6) Per M	-	1
VP181WHI	Internal Corner	-	1
VP182WHI	External Corner	-	1


Code	Description	Price	Qty
VP183WHI	End Cap (Pair)	-	1
VP184WHI	Joint Cover	-	1
VP185WHI	Flat Angle	-	1
VP187WHI	Flat Tee	-	1
VP191WHI	Internal Corner - Skirting (2)	-	1
VP192WHI	External Corner - Skirting (2)	-	1
VP193WHI	End Cap (Pair) - Skirting (2)	-	1
VP194WHI	Joint Cover 3D Skirting (5)	-	1
VP195WHI	Flat Angle 3D Trunking	-	1
VP197WHI	Prestige 3D Flat Tee Skirting	-	1





3 Compartment Compact Cavity Floor Box & Accessory Plates

Code	Description	Price	Qty
SPE TAFB3S	3 Compt Compact Floor Box 80MM	-	1
SPE ST0300	Twin Sockets	-	1
SPE ST0301	Blank Plate	-	1
SPE ST0302	4 x LJ6C Plate	-	1
SPE ST0304	Euro Plate	-	1
SPE ST0306	6 x LJ6C Plate	-	1



4 Compartment Cavity Floor Box & Accessory Plates

Code	Description	Price	Qty
SPE TAFB4	4 Compt Cavity Floor Box 76MM	-	1
SPE ST0279	Euro Plate	-	1
SPE ST0280	6 x LJ6C Plate	-	1
SPE ST0282	Blank Plate	-	1
SPE ST0285	4 x LJ6C Plate	-	1
SPE ST0285W	LJ6C Wave Plate	-	1
SPE ST0290/RH	R/H Sockets	-	1
SPE ST0290/LH	L/H Sockets	-	1
SPE ST0405	Triple Sockets	-	1

Pedestal Boxes

- Finished in leatherette Powder Coated Steel
- Knockouts one side only
- Accepts standard accessory plates
- Earth Terminal



Code	Description	Price	Qty
TAS/SPBW	1 gang pedestal box - White	-	1
TAS/SPBB	1 gang pedestal box - Black	-	1
TAS/DPBW	2 gang pedestal box - White	-	1
TAS/DPBB	2 gang pedestal box - Black	-	1
TAS/BBPBW	Back to back pedestal box - White	-	1
TAS/BBPBB	Back to back pedestal box - Black	-	1



DELIGO

Ball Lock Stainless Cable Ties

Our NEW Ball lock Stainless Ties are perfect for securing Cable, Pipes etc. in harsh environments where corrosion and weathering are a concern. Also, a solution to 18th Edition Wiring Regulations where cabling may cause Escape Route Obstruction. Economical alternative to our A4 Certified Stainless Tie Range (Guns & Saddles available)

Code	Description	Price	Qty
DEL/SST46200	4.6 X 200 Stainless Steel Ball	-	1
DEL/SST46300	4.6 X 300 Stainless Steel Ball	-	1
DEL/SST46360	4.6 X 360 Stainless Steel Ball	-	1
DEL/SST46520	4.6 X 520 Stainless Steel Ball	-	1



**Termination
Technology Ltd**
Quality and Service

Flexible Cable Rods

NEW FLEXROD

Aimed at electricians, Cable Quick is perfect for installing cable into awkward areas such as cavity walls, under floors and over ceilings. The 10m of rod permit users to install cable over long distances with ease. Using Cable Quick removes much of the disruption associated with cable installation, dramatically reducing damage to the work site, therefore less time and materials are used to restore the work site to its previous state.

Code	Description	Price	Qty
TER/FLEXROD	Flexible Cable Rod Unit Each Yellow	-	1



MICC RCHL Red Clips

RCHI MICC Cable Clips designed for mineral and soft skin fire cables. Manufactured from copper with a LSF powder coating.

Code	Description	Price	Qty
TER/RCHJ30-RED	MICC RCHL Clip 7.5-7.9mm PK50	-	1
TER/RCHJ32-RED	MICC RCHL Clip 8-8.4mm PK50	-	1



Stainless Steel Cable Bases

These bases are suitable for the secure fixing of cables and hoses. Manufactured in 316 grade stainless steel. With a fixing hole to suit a no.8 screw, suitable for cable ties up to 8mm wide. RoHS and Reach compliant.

Code	Description	Price	Qty
TER/CTBSS	7.8 M5 Hole SS Cable Bases Per 100	-	1



Polythene Connector Strips

12 way polythene connector strip. Using the fresh P.E material with strong insulation performance. The conductor is made of high quality brass and has good electrical conductivity. Range of use: Electrical and mechanical, electrical control, power supply appliances, decoration, lamps and other electrical wiring parts.

Code	Description	Price	Qty
TER/CS15A	15A Connector Strip PK10	-	1
TER/CS30A	30A Connector Strip PK10	-	1



Resin Cable Joint Kits - 7A

Click seal resin filled joints for voltages up to 3.6kv. Easy to install, click together moulds. Mechanical connectors up to 400mm². Available in both straight and branch formats. Suitable for single and multiple polymeric and paper cables both stranded and solid copper/aluminium connectors. Performance tested to BS6910/HD623/VDE0278.

Code	Description	Price	Qty
TER/JK1.5-10	1.5mm To 10mm Straight Joint	-	1
TER/JK10-25	10mm To 25mm Straight Joint	-	1



Bathroom Kit

Code	Description	Price	Qty
ELEX/LEDSLKTC	4" LED Shower Kit	-	1
ELEX/LEDSLKTCIW	4" LED Shower Fan Kit Ice White	-	1



4" Fans

Code	Description	Price	Qty
ELEX/ECF100H	4" Humidity Fan with timer	-	1
ELEX/ECF100P	4" Standard Fan with pullcord	-	1
ELEX/ECF100S	4" Standard Fan	-	1
ELEX/ECF100T	4" Standard Fan with timer	-	1
ELEX/ECLV100T	4" Low Volt Fan timer kit	-	1
ELEX/ECSF100S	4" Inline Shower Fan standard	-	1
ELEX/ECSF100T	4" Inline Shower Fan timer	-	1

6" Fans

Code	Description	Price	Qty
ELEX/ECF150H	6" Humidity Fan with timer	-	1
ELEX/ECF150S	6" Standard Fan	-	1
ELEX/ECF150T	6" Standard Fan with timer	-	1
ELEX/ECF150P	6" Humidity Fan With Pull Chord	-	1



Fan Accessories

Code	Description	Price	Qty
ELEX/ECFG100B	4" Fixed Grille Brown	-	1
ELEX/ECFG100W	4" Fixed Grille White	-	1
ELEX/ECFG150B	6" Fixed Grille Brown	-	1
ELEX/ECFG150W	6" Fixed Grille White	-	1
ELEX/ECGG100W	4" Gravity Grille White	-	1
ELEX/ECGG150B	6" Gravity Grille Brown	-	1
ELEX/ECGG150W	6" Gravity Grille White	-	1
ELEX/ECGG100B	4" Gravity Grille Brown	-	1



Ducting

Code	Description	Price	Qty
ELEX/ECPVC4	4 PVC Ducting 3mtr	-	1
ELEX/ECPVC6	6 PVC Ducting 5mtr	-	1
ELEX/1023	4" 45mtr PVC Ducting	-	1
ELEX/INSDUCT102	4" Insulated ducting 10mtr	-	1
ELEX/10410	102mm 10mtr PVC Flexible Hose	-	1
ELEX/10610	152mm 10mtr PVC Flexible Hose	-	1
ELEX/6763	6" PVC Flexible Hose - 3m lengths	-	1



Vent-Axia



ACM's



Basics/Silent Fan Range

ACM's

Code	Description	Price	Qty
VEN/17104020	ACM 100T Mixed Flow Fan ERP Version	-	1
VEN/17104010	ACM100 Mixed Flow Fan ERP Version	-	1
VEN/17106010	ACM 150 Mixed Flow Fan ERP Version	-	1
VEN/W300310	1.5A Speed Controller 240V Industrial	-	1
VEN/17105010	ACM 125 Mixed Flow Fan ERP Version	-	1

Basics Range

Code	Description	Price	Qty
VEN/436532	BAS100SLT Slimline Timer 100MM Fan Basics	-	1
VEN/436530	BAS100SLB Slimline 100MM Fan Basics	-	1
VEN/436533	BAS150SLB Slimline Basic 150MM Fan Basics	-	1
VEN/436521	BAS100T Timer 100MM Fan	-	1
VEN/427282	Eclipse 100XT Boxed Assy UK Version	-	1
VEN/436535	BAS150SLT Slimline Timer Fan	-	1
VEN/436568	100mm Wall Kit Brown Linx	-	1
VEN/436519	BAS100B Basic 100MM Fan	-	1
VEN/432505	Vent-A-Light Timer Shower Fan Kit (UK Version)	-	1
VEN/432504	Vent-A-Light Standard Kit (UK Version)	-	1
VEN/427310	Eclipse 100X Boxed Assy UK Version	-	1

Silent Fan Range

Code	Description	Price	Qty
VEN/446659	VASF100T Boxed Assembly Timer Silent Fan MK2	-	1
VEN/446658	VASF100B Boxed Assembly Basic Silent Fan MK2	-	1



Solo Range

Code	Description	Price	Qty
VEN/427478	Solo Plus T Boxed Assy	-	1
VEN/427482	Lo-Carbon Solo Plus T Boxed Assy	-	1
VEN/427479	Solo Plus Ht Boxed Assy	-	1
VEN/427480	Solo Plus Tm Boxed Assy	-	1
VEN/427477	Solo Plus P Boxed Assy	-	1
VEN/409160	Solo Pro T Boxed Assembly	-	1
VEN/409164	Solo Pro Selv Svt Boxed Assembly	-	1
VEN/409161	Solo Pro HTP Boxed Assy	-	1



Silhouette Range



VA100 range

Silhouette Range

Code	Description	Price	Qty
VEN/454056	Silhouette 100T Axial Fan MK3	-	1
VEN/441625	Lo-carbon Silhouette 100T Timer	-	1
VEN/441624	Lo-carbon Silhouette 100B Basic	-	1
VEN/454055	Silhouette 100 Axial Fan MK3	-	1
VEN/454059	Silhouette 150X Axial Fan with Shutters MK3	-	1
VEN/454060	Silhouette 150XT Time Fan with Shutters MK3	-	1
VEN/454058	Silhouette 100TM Axial fan MK3	-	1
VEN/454057	Silhouette 100HT Fan MK3	-	1

VA100 Range

Code	Description	Price	Qty
VEN/258312	VA100SVXH12 Shut/Hum.Fan (2011 Model)	-	1
VEN/258410	VA100SVXT12 Shutter/Timer Fan (2011 Model)	-	1
VEN/251410	VA100XT Timer/Shutter Fan (2011 Model)	-	1
VEN/254101	VA100 Window Fitting Kit UK Version	-	1
VEN/251310	VA100XP Axial Shutter Fan (2011 Model)	-	1
VEN/251210	VA100LT Axial Timer Fan (UK Produced)	-	1
VEN/258512	VA100SVXHT12 Shut/Hum/Tim Fan (2011 Model)	-	1
VEN/251710	VA100XHP Shut/Hum/PC. Fan (2011 Model)	-	1



T-Series Range



Svara Fan

T-Series Range

Code	Description	Price	Qty
VEN/W361119	T.S.C. Surface Controller 220-240V.	-	1
VEN/W161510	TX6WL Wall Fan 220-240V (2009 Style)	-	1
VEN/W163510	TX9WL Wall Fan 220-240V (2009 Style)	-	1
VEN/W161110	TX6WW Window Fan 220-240V (2009 Style)	-	1
VEN/W164510	TX12WL Wall Fan 220-240V (2009 Style)	-	1

Svara Fan

Code	Description	Price	Qty
VEN/409802	Lo Carbon 100MM Svara Fan	-	1

Dimplex



Air Curtain

Code	Description	Price	Qty
AC3N	3kW Air curtain willow white	-	1
AC45N	4.5kW Air curtain willow white	-	1



Remote Air Curtains

Code	Description	Price	Qty
AC6N	6kW Air curtain	-	1



Downflow Heaters

Code	Description	Price	Qty
FX20EIPX4	2kW Downflow heater with timer	-	1
FX20VE	2kW E Timer downflow heater	-	1



Monterey Heaters

Code	Description	Price	Qty
MFP050E	LOT20 500W Electronic Panel Heater	-	1
MFP075E	LOT20 750W Electronic Panel Heater	-	1
MFP100E	LOT20 1000W Electronic Panel Heater	-	1
MFP150E	LOT20 1500W Electronic Panel Heater	-	1
MFP200E	LOT20 2000W Electronic Panel Heater	-	1



Panel Heaters - Lot 20 Compliant

with Advanced EcoDesign Controls

Code	Description	Price	Qty
PLX050E	500W Panel Heater	-	1
PLX075E	750W Panel Heater	-	1
PLX100E	1000W Panel Heater	-	1
PLX125E	1250W Panel Heater	-	1
PLX150E	1500W Panel Heater	-	1
PLX200E	2000W Panel Heater	-	1
PLX300C	3000W Panel Heater	-	1

Design

Dimplex PLXE range of panel heaters are compact direct-action heaters. Their splash-proof and stylish front facing grille adds a touch of class, optimising heat circulation throughout the space. Dimplex PLXE panel heaters have been designed with traditional panel fixings in mind, the easy-install heater is able to cover the marks utilising a slim, durable metal chassis coated and a modern epoxy-polyester coating with a white finish.

The PLXE can be digitally controlled via its backlit LCD display and CapSense controller. The heater makes use of an electronic thermostat, allowing you to personalise your heating to within a fifth of a degree, 24/7. The system is designed to be user friendly and energy efficient, automatically applying continuous heat modes, such as eco or frost protect.

No matter the workload, Dimplex's panel heater can be optimised to your schedule with its ready-to-go 7-day programmable timer.

Efficiency

Intuitive and adaptive, the Dimplex PLXE panel heater features many energy-saving features. Dimplex's Adaptive Start function preheats the room to be at the exact temperature at the exact time, it will then sustain the temperature, reacting according to ensure maximum efficiency.

Whatever the weather, Dimplex's Open Window detection technology will constantly monitor room temperature, automatically determining the perfect amount of heat needed to be emitted. Effective from the conservatory to the bathroom, the PLXE is Lot 20 standardised with an IP24 rating.

Functionality

The Dimplex PLXE Panel Heater's arsenal of multiple timer profiles, unlimited daily settings and a highly accurate thermostat demonstrates its excellent functionality. Dimplex also offers a PIN-based child-lock or landlord-lock feature, suitable for stopping hands getting where they shouldn't. The PLXE is fitted with a backup battery, ensuring the clock never stops on your personal panel heating.



Victoria Heater Range



VICN04




VICN0406



VICN0408



VICN0410



VICN042

- Sizes from 04 Element-660 watt to 12 Element-2,000 watt
- 15 year warranty on the Aluminium body and 6 years on the electronics
- Smart control, Wi-Fi and programmable
- Large touch screen for ease of use
- Open window detection
- Low consumption & energy saving
- Geolocation for optimal consumption

- Compatible with Alexa
- MI-Vic Farho, Independent unit for Wi-Fi connection
- Total control using the FARHO APP
- Lot 20
- Data analysis and storage of the current installation running costs
- Weather forecast management

Code	Description	Wattage	Price	Qty
VICN04	1,000 W Low consumption domotic heater, Black screen	660	-	1
VICN06	1,000 W Low consumption domotic heater, Black screen	1000	-	1
VICN08	1,330 W Low consumption domotic heater, Black screen	1330	-	1
VICN10	1,650 W Low consumption domotic heater, Black screen	1650	-	1
VICN12	2,000 W Low consumption domotic heater, Black screen	2000	-	1
MIVIC	Farho Internet Module for Victoria heaters	-	-	1



The FARHO® heating system has been able to combine the maximum thermal performance with minimum energy consumption. The result is an optimal heating system, extremely economical, practical and able to adapt to any need, both aesthetic and functional. Lot 20 Compliant with a 10 year guarantee on the aluminium body. Scheme support available.

Tessla Ultra

Automatic and programmable digital thermostat.

The TESSLA ULTRA model designed by FARHO®, maintains quality, characteristics and performance of other Farho's models. It changes the aesthetics as it has a front end panel, which may be more convenient for user handling.

It is the ideal solution for most households. Perfect balance between price, quality and performance with 5 different fin sizes and power up to 2000w.



Code	Description	Price	Qty
TU04	4 Fin 660W Tessla Ultra Radiator, (L:415, H:575, D:98mm)	-	1
TU06	6 Fin 1000W Tessla Ultra Radiator, (L:575, H:575, D:98mm)	-	1
TU08	7 Fin 1330W Tessla Ultra Radiator, (L:735, H:575, D:98mm)	-	1
TU10	10 Fin 1650W Tessla Ultra Radiator, (L:895, H:575, D:98mm)	-	1
TU12	12 Fin 2000W Tessla Ultra Radiator, (L:1055, H:575, D:98mm)	-	1

Both Tessla and Eco Green Ultra benefit from the following features.

- ✓ **Boost function** 2hr maximum power to speed up the temperature
- ✓ **Daily & weekly temperature programming** up to 6 events for each day independently
- ✓ **Open window detection** function for an optimisation of the consumption

Eco Green Ultra

Programmable digital thermostat.

The most economical range with 5 different fin sizes and power up to 2000w.

Same design as the Eco Green while incorporating enhancements. Ultra warm up time and thanks to the new powers available we optimise the space and aesthetics of your home.



Code	Description	Price	Qty
ECGU04	4 Fin 660W Eco Green Ultra Radiator, (L:415, H:575, D:98mm)	-	1
ECGU06	6 Fin 1000W Eco Green Ultra Radiator, (L:575, H:575, D:98mm)	-	1
ECGU08	7 Fin 1330W Eco Green Ultra Radiator, (L:735, H:575, D:98mm)	-	1
ECGU10	10 Fin 1650W Eco Green Ultra Radiator, (L:895, H:575, D:98mm)	-	1
ECGU12	12 Fin 2000W Eco Green Ultra Radiator, (L:1055, H:575, D:98mm)	-	1



- Heating Element - 700 W
- Air Speed - 60 m/s
- Operation - Touch free automatic
- IP Rating - IPX1



- Heating Element - 1150 W - option to switch off
- Air Speed - 95 m/s
- Operation - Touch free automatic
- IP Rating - IPX4



- Heating Element - 250 W - option to switch off
- Air Speed - 89 m/s
- Operation - Touch free automatic
- IP Rating - IP22

Arc

Code	Description	Price	Qty
ARCBSS	1.25KW High Speed Arc Hand Dryer S/Steel	-	1
ARCW	1.25KW High Speed Arc Hand Dryer White	-	1

Blade

Code	Description	Price	Qty
BLADES	1.85KW High Speed Blade Hand Dryer S/Steel	-	1
BLADEW	1.85KW High Speed Blade Hand Dryer White	-	1

Prism

Code	Description	Price	Qty
PRMBSS	0.9KW High Speed Prism Hand Dryer S/Steel	-	1
PRMW	0.9KW High Speed Prism Hand Dryer White	-	1



- 1.5kw
- Lightweight aluminium construction
- Wall mounted bracket included
- Weatherproof for outdoor use IP24



Sun King Outdoor Quartz Infra Red Heater

Code	Description	Price	Qty
SK1500	1.5Kw IP24 Outdoor Quartz Heater	-	1
LC1500CG	Replacement Quartz Element Lamp	-	1

- 500w
- Adjustable Thermostat
- Safety thermal cut out
- Wall mounted



Mojave Frost Protector

Code	Description	Price	Qty
FW500Z	500W Frost Protector	-	1



- 3 heat settings 1.5 and 3.0 kW, and fan only option
- Easy to install, with a robust fast fitting wall bracket
- Cable pre-wired
- Wall or ceiling mounted

Air Curtain

Code	Description	Price	Qty
MAC3X	3.0kW Air Curtain	-	1



Zephyr Downflow Fan Heater

Code	Description	Price	Qty
DF20	2KW Drying Room Hot Air Calculator	-	1



0.7, 1.5 and 2kw

- Modern and stylish
- Adjustable thermostat
- 24 hour timer (on 2kw)

Riviera Oil Filled Radiator

Code	Description	Price	Qty
RAD07Y	700W Oil Filled Radiator	-	1
RAD15Y	1500W Oil Filled Radiator	-	1
RAD20TY	2000W Oil Filled Radiator	-	1



Tubular Heaters & Guards

Code	Description	Price	Qty
TH01B	45W 1FT Tubular Heater	-	1
TH02B	80W 2FT Tubular Heater	-	1
TH03B	135W 3FT Tubular Heater	-	1
TH04B	180W 1FT Tubular Heater	-	1
THG01	1FT Tubular Heater Wire Guard	-	1
THG02	2FT Tubular Heater Wire Guard	-	1
THG03	3FT Tubular Heater Wire Guard	-	1
THG04	4FT Tubular Heater Wire Guard	-	1



0.5, 1.0, 1.5 and 2kw
(T) Timer Model

- 24/7 LCD Timer
- Peak and off peak temperature settings
- Mechanical Thermostat
- Power on/off switch
- IP24 Rated
- LOT20 Compliant

Accona Panel Heater

Code	Description	Price	Qty
AC500T	500W Timer Panel Heater	-	1
AC1000T	1000W Timer Panel Heater	-	1
AC1500T	1500W Timer Panel Heater	-	1
AC2000T	2000W Timer Panel Heater	-	1
AC2400T	2400W Timer Panel Heater	-	1



Low surface temp, ladder style towel rail

- Low surface temperature below 43°C
- Splashproof IPX4
- 40W 720 x 400 x 110
- 80W 860 x 530 x 110
- 90W 1020 x 600 x 180
- Slimline profile
- Stainless Steel

Aquila ST Ladder Style Towel Rail

Code	Description	Price	Qty
AQ40LC	40W LST Ladder Towel Rail	-	1
AQ80LC	80W LST Ladder Towel Rail	-	1
AQ90LC	90W LST Ladder Towel Rail	-	1



- Splashproof IPX4
- 100w 860 x 530 x 110
- Robust mounting brackets included
- Slimline profile
- Stainless Steel

Aquila Ladder Style Towel Rail

Code	Description	Price	Qty
AQ100LC	100W Ladder Style Towel Rail	-	1



Lynx 1.5 - Is a 'no touch' 1.25Kw dryer with aluminium cover. 30 second dry time.

Code	Description	Price	Qty
ELEX/LYNX1.5	1.5KW Automatic Dryer with ABS Cover	-	1



- 10-12 seconds drying time
- Blue LED for hand drying range
- Powerful Operation

Code	Description	Price	Qty
ELEX/FASTDRY	1.6KW White Fast Dryer	-	1
ELEX/FASTDRYSS	1.6KW Satin Stainless Fast Dryer	-	1
ELEX/BGFASTDRYWH	Budget Compact Fast Dry White	-	1
ELEX/BGFASTDRYSS	Budget Compact Fast Dry Satin Stainless	-	1



- Approximately 10 seconds drying time
- Unique "blue dry zone" indicator
- Powerful Operation
- Fitted with Anti-bacterial dust filter
- Low energy use ■ 2 speed and 2 heat settings
- LED indicator

Code	Description	Price	Qty
ELEX/JETHD	Automatic Double Sided Hand Dryer	-	1



Kyros Fin Radiator

Code	Description	Price	Qty
KRI0330RAD3	3 Fin Kyros Radiator White	-	1
KRI0550RAD3	5 Fin Kyros Radiator White	-	1
KRI0770RAD3	7 Fin Kyros Radiator White	-	1
KRI0990RAD3	9 Fin Kyros Radiator White	-	1
KRI1210RAD3	11 Fin Kyros Radiator White	-	1
KRI1430RAD3	13 Fin Kyros Radiator White	-	1
KRI1600RAD3	15 Fin Kyros Radiator White	-	1



Kyros Fin Conservatory Radiator

Code	Description	Price	Qty
KRI1100RADC3	11 Fin Kyros Conservatory Radiator White	-	1
KRI1300RADC3	13 Fin Kyros Conservatory Radiator White	-	1
KRI1500RADC3	15 Fin Kyros Conservatory Radiator White	-	1
ACMI120	Remote	-	1



Pure Electric Shower

The all-new Pure shower from Redring combines attractive good looks with an even more attractive price point, making Pure the perfect choice for your cost-conscious homeowners who appreciate stylish design.

Key features

- 3 power settings
- Single mode shower head with rub clean nozzles
- Flexible accessory kit
- 600mm riser rail with brackets
- 1m anti-kink hose
- Plain shank for push-fit and compression cold water connection

Technical information

- Performance: available in 7.5, 8.5, 9.5 and 10.5kW
- Water: operating water pressure 1-10bar (15-150psi)
- Entry points: 3 cable & 4 water (right hand side)
- Approvals: BEAB & CE mark

Code	Description	Energy Rating	Price	Qty
53531301	RPS7 Pure 7.5kW	A	-	1
53531001	RPS8 Pure 8.5kW	A	-	1
53531101	RPS9 Pure 9.5kW	A	-	1
53531201	RPS10 Pure 10.5Kw	A	-	1



Bright Electric Shower

At Redring we know installers' time is money. That's why our new Bright shower has been purposely designed to enable quick and easy installation, making it the ultimate replacement shower. Its 3 year warranty offers installers and homeowners that extra reassurance and is a demonstration of our confidence in this exciting new shower.

Key features

- SmartFit™ technology makes installation easy, thanks to multi-entry options
- 3 mode shower head with rub clean nozzles
- Left and right side entry
- Twin terminal block
- 600mm riser rail with brackets
- 1.25m anti-kink hose
- Plain shank for push-fit and compression cold water connection

Technical information

- Performance: available in 7.5, 8.5, 9.5 and 10.5kW
- Water: operating water pressure 1-10bar (15-150psi)
- Entry points: 6 cable & 8 water
- Approvals: BEAB & CE mark

Code	Description	Energy Rating	Price	Qty
53533301	RBS7 Bright 7.5kW	A	-	1
53533001	RBS8 Bright 8.5kW	A	-	1
53533101	RBS9 Bright 9.5kW	A	-	1
53533201	RBS10 Bright 10.5kW	A	-	1



Glow Electric Shower

The powerful combination of attractive design features, ease of installation and a reassuring 3 year warranty makes the new Glow shower an appealing package for both installers and homeowners. Featuring a 5 mode showerhead, chrome accents and a digital display, Glow also gives you the additional benefit of phased shutdown anti-scaling technology.

Key features

- SmartFit™ technology makes installation easy, thanks to multi-entry options
- Phased shutdown anti-scaling technology
- Digital temperature display
- 5 mode shower head with rub clean nozzles
- Left and right side entry
- Twin terminal block
- 600mm riser rail with brackets
- Chrome controls
- Plain shank for push-fit and compression cold water connection

Technical information

- Performance: available in 7.5, 8.5, 9.5 and 10.5kW
- Water: operating water pressure 1-10bar (15-150psi)
- Entry points: 6 cable & 8 water
- Approvals: BEAB & CE mark



Code	Description	Energy Rating	Price	Qty
53535001	RGS8 Glow 8.5kW	A	-	1
53535101	RGS9 Glow 9.5kW	A	-	1
53535201	RGS10 Glow 10.5kW	A	-	1



Speedflow Unvented Undersink

Code	Description	Price	Qty
SF05K	5 Litre 2.0kW element	-	1
SF10K	10 Litre 2.0kW element	-	1
SF15K	15 Litre 2.0kW element	-	1



Expansion Vessels

Code	Description	Price	Qty
SF3	2L Expansion vessel and check valve	-	1
SF4	Pressure reducing valve, 2L vessel and check valve	-	1



Handyflow Over/Undersink Vented

Code	Description	Price	Qty
HF05LM	5L Oversink c/w inlet tap and spout	-	1
HF05MVC	5L Undersink c/w vented monobloc mixer tap and hoses	-	1



WS73 Water Storage Heater

Code	Description	Price	Qty
RED/WS73	White 7ltr vented storage heater	-	1

Water Heater

Electric compact water heater for under/over sinks

Key features

- Compact size, only 41cm high
- External thermal regulator
- 2 models: bottom outlets for over sinks and top outlets for under sinks
- Tank: 5 years guarantee
- Electronics: 2 years guarantee

Code	Description	Price	Qty
VW110DHW4	10L Oversink Water Heater	-	1
VW110DHWU4	10L Undersink Water Heater	-	1
VW115DHW4	15L Oversink Water Heater	-	1
VW115DHWU4	15L Undersink Water Heater	-	1

HEATΣHOME

BY HEATCOM

AFFORDABLE UNDERFLOOR HEATING

Our popular 160W electric underfloor heating mats are high-quality, trusted by installers and homeowners nationwide and easy to fit.

A professional fast-to-fit system designed to provide energy-efficient floor warming in all rooms, and a full heating system in well insulated areas.

Code	Description	Price	Qty
HMHMAT160W-1.0	160W/m ² Heating Mat 1.0m ²	-	1
HMHMAT160W-1.5	160W/m ² Heating Mat 1.5m ²	-	1
HMHMAT160W-2.0	160W/m ² Heating Mat 2.0m ²	-	1
HMHMAT160W-2.5	160W/m ² Heating Mat 2.5m ²	-	1
HMHMAT160W-3.0	160W/m ² Heating Mat 3.0m ²	-	1
HMHMAT160W-4.0	160W/m ² Heating Mat 4.0m ²	-	1
HMHMAT160W-5.0	160W/m ² Heating Mat 5.0m ²	-	1
HMHMAT160W-6.0	160W/m ² Heating Mat 6.0m ²	-	1
HMHMAT160W-7.0	160W/m ² Heating Mat 7.0m ²	-	1
HMHMAT160W-8.0	160W/m ² Heating Mat 8.0m ²	-	1
HMHMAT160W-9.0	160W/m ² Heating Mat 9.0m ²	-	1
HMHMAT160W-10.0	160W/m ² Heating Mat 10.0m ²	-	1
HMHMAT160W-12.0	160W/m ² Heating Mat 12.0m ²	-	1
HMHMAT160W-15.0	160W/m ² Heating Mat 15.0m ²	-	1




UK
CA

LOT
20
COMPLIANT

COMPLIANT
PART L
COMPLIANT

EMF SAFE

15
YEARS
PRODUCT
WARRANTY



UFSTAT10
Thermostat

UFSTAT10 Thermostat



A cost effective
programmable electric
underfloor heating controller

Friedland
by Honeywell



Door Chimes

Code	Description	Price	Qty
FRI D107	Door chime - Facet, White	-	1
FRI D113	Door chime - Surf, White	-	1
FRI D117	Door chime - Ding Dong, White	-	1
FRI D230	Door chime - Big Ben, White	-	1



Transformers

Code	Description	Price	Qty
FRI D743	Bell Transformer (Surface)	-	1
FRI D753	Chime Transformer (Surface)	-	1



Bell Pushes

Code	Description	Price	Qty
FRI D534	Lighted Pushes - Lightspot, Black	-	1
FRI D534W	Lighted Pushes - Lightspot White	-	1
FRI D814	Unlighted Sesame Push, White	-	1
FRI D824	Unlighted Pushes - Dimex, Black	-	1



Buzzers & Bells

Code	Description	Price	Qty
FRI D182	Mini Buzzer	-	1
FRI D792	Under Dome Bell	-	1
FRI D902	Bell In One	-	1

**GREEN
BROOK**
ELECTRICAL PLC



Herald Wirefree Door Chime Kit

Code	Description	Price	Qty
DW010AN-C	Herald Wirefree Door Chime Kit	-	1



Ambassador Wirefree Door Chime Kit

Code	Description	Price	Qty
DW040AN-C	Ambassador Wirefree Door Chime Kit	-	1



Plug-in Door Chime

Code	Description	Price	Qty
DW030AN-C	Plug-in Door Chime	-	1



Mains Powered Door Chime

Code	Description	Price	Qty
DHT01AN-C	Mains Powered Door Chime with integral transformer	-	1



Bell Transformer

Code	Description	Price	Qty
DAT01A	1.0 AMP Bell Transformer	-	1



Bell Pushes

Code	Description	Price	Qty
DP010A-C	Bell Push - Black	-	1
DP020A-C	Bell Push - White	-	1
DP220A-C	Bell Push - Standard White	-	1
DPL03A-C	Illuminating Bell Push, Black	-	1
DPL04A-C	Illuminating Bell Push - White	-	1

Honeywell



DC915

Wireless portable doorbell with range extender, sleep mode and push button

Code	Description	Price	Qty
DC915SG	Series 9 Wireless portable doorbell - Grey	-	1
DC915N	Series 9 Wireless portable doorbell - White	-	1
DC915NG	Series 9 Wireless portable doorbell - Grey	-	1
DC915S	Series 9 Wireless portable doorbell - White	-	1

Honeywell



DC315NG

Wireless portable doorbell with halo light and push button

Code	Description	Price	Qty
DC315N	Series 3 Wireless portable doorbell - White	-	1



DC515NG

Wireless portable doorbell with halo light, sleep mode and push button

Code	Description	Price	Qty
DC515NG	Series 5 Wireless portable doorbell - Grey	-	1
DC515N	Series 5 Wireless portable doorbell - White	-	1
DC515NBS	Series 5 Wireless plug-in doorbell - White	-	1



DC311NBS

Wireless plug-in doorbell with push button

Code	Description	Price	Qty
DC311NBS	Series 3 Wireless plug-in doorbell - White	-	1
DCP311	Wireless push button with LED confidence light - White	-	1
DC311N	Series 3 Wireless portable doorbell - White	-	1
DCP311G	Wireless push button with LED confidence light - Grey	-	1



DCP511

Wireless push button with nameplate and LED confidence light – Offset Landscape, White

Code	Description	Price	Box Qty
DCP511	Wireless push button with nameplate and LED confidence light - White	-	1



TANGO™

3 Light Modes:

- Work Light (750 lumens) - 2 hours / 52 metres
- Spot Light (250 lumens) - 5 hours / 22 metres
- Turbo Mode (1000 lumens) - 2 min



Tango™ Rechargeable Work Light

Code	Description	Price	Qty
NE6665	Tango™ Work Light & Spot Light	-	1

SLYDE™ KING

4 Light Modes:

- Flashlight (330 lumens) - 2 hours / 123 metres
- COB work light (250 lumens) - 4.25 hours / 22 metres
- Red Light (40 lumens) - 4.75 hours / 7 metres
- Red flash 24 hours



Slide™ King - Rechargeable

Code	Description	Price	Qty
NE6434	Slide™ King	-	1



Flex-Power gives the ability to use 2 or 3 AAA batteries.

3 Light Modes:

- High (250 lumens) - 3 hours / 29 metres
- Low (95 lumens) - 10 hours / 17 metres
- Red flash - 10 hours



LiL Larry™ Power COB Work Light

Code	Description	Price	Qty
NE6373	LiL Larry™ Power COB LED Work Light	-	1

INSPECTOR™



3 Light Modes:

- High (180 lumens) - 2 hours / 84 metres
- Low (54 lumens) - 6 hours / 46 metres
- Strobe (180 lumens) - 50 minutes / 84 metres



Inspector

Code	Description	Price	Qty
NE6713	Inspector™	-	1



4 Light Modes:

- Top light (200 lumens) - 8 hours / 75 metres
- Work light (500 lumens) - 2.5 hours / 31 metres
- Red light (40 lumens) - 20 hours / 7 metres
- Red hazard flasher - 40 hours / 7 metres



BIG™ Larry

Code	Description	Price	Qty
NE6737	BIG Larry™ 2	-	1



Vision HD LED Headlights

Code	Description	Price	Qty
VISION	Energizer 200 Lumens Headlight (Blue)	-	1
VISIONHD	Energizer 300 Lumens Headlight (Red)	-	1
VISIONHDP	Energizer 350 Lumens Headlight (Green)	-	1
VISIONHDPF	Energizer 400 Lumens Headlight (Black)	-	1
VISIONUHD	Energizer 450 Lumens Headlight (Black)	-	1
VISIONR	Energizer 400 Lumens Rechargeable Headlight (Green)	-	1



H1

- LED Headlamp
- 365 max lumens
- Wide beam angle
- Lo-High Operation
- 3 x AAA (INC)



H2R

- LED Headlamp
- 420 max lumens
- Adjustable beam angle
- Red LED in back
- Rechargeable



H40

- LED Headlamp
- 40 max lumens
- IP44 Rated
- Tilting Head
- 2 x CR2025 (INC)



H200

- LED Headlamp
- 200 max lumens
- Narrow & wide beam
- Red LED IP44 rated
- 3 x AAA (INC)



P110

- LED Flashlight
- 110 max lumens
- Sliding focus
- IP45 Rated
- 1 x AA (INC)



P320R

- LED Flashlight
- 320 max lumens
- Sliding focus Lo-High
- IP45 Rated
- Rechargeable



P370

- LED Flashlight
- 370 max lumens
- Sliding focus
- IP45 Rated
- 3 x AAA (INC)



P130

- LED Inspection penlight
- 130 max lumens
- COB LED
- Magnet at the base
- 3 x AAA (INC)



P60

- LED Pocket Flashlight
- 70 max lumens
- Adjustable zoom focus
- Pocket clip included
- 1 x AA (INC)



D0

- LED Inspection light
- 140 max lumens
- Flashlight & Frontlight
- CRI 95+
- Rechargeable



GLOVE COLLECTION

HIGH PERFORMANCE | HEAVY DUTY | COLD WEATHER
CUT SAFETY PRO



Octogrip 200/300

Code	Description	Price	Qty
OG200M	Heavy Duty 15g Nylon Lycra Glove (M)	-	1
OG200L	Heavy Duty 15g Nylon Lycra Glove (L)	-	1
OG200XL	Heavy Duty 15g Nylon Lycra Glove (XL)	-	1
OG300M	Heavy Duty 10g Poly Latex Glove (M)	-	1
OG300L	Heavy Duty 10g Poly Latex Glove (L)	-	1
OG300XL	Heavy Duty 10g Poly Latex Glove (XL)	-	1



Octogrip 330/351

Code	Description	Price	Qty
OG330M	Heavy Duty 13g Poly/Cotton Glove (M)	-	1
OG330L	Heavy Duty 13g Poly/Cotton Glove (L)	-	1
OG330XL	Heavy Duty 13g Poly/Cotton Glove (XL)	-	1
OG351M	Heavy Duty 13g Poly Light Glove (M)	-	1
OG351L	Heavy Duty 13g Poly Light Glove (L)	-	1
OG351XL	Heavy Duty 13g Poly Light Glove (XL)	-	1



Octogrip 874/974

Code	Description	Price	Qty
PW874M	Breathable 15g Nylon Lycra Glove (M)	-	1
PW874L	Breathable 15g Nylon Lycra Glove (L)	-	1
PW874XL	Breathable 15g Nylon Lycra Glove (XL)	-	1
PW974M	Breathable 13g Poly Glove (M)	-	1
PW974L	Breathable 13g Poly Glove (L)	-	1
PW974XL	Breathable 13g Poly Glove (XL)	-	1



Octogrip 275

Code	Description	Price	Qty
PW275M	Anti Cut Level 5 Safety Glove (M)	-	1
PW275L	Anti Cut Level 5 Safety Glove (L)	-	1
PW275XL	Anti Cut Level 5 Safety Glove (XL)	-	1



CUT SAFETY PRO



Octogrip 450/451

Code	Description	Price	Qty
OG450M	Cold Weather 10g Poly Knit Glove (M)	-	1
OG450L	Cold Weather 10g Poly Knit Glove (L)	-	1
OG450XL	Cold Weather 10g Poly Knit Glove (XL)	-	1
OG451M	Thermal Eco Latex 15g Glove (M)	-	1
OG451L	Thermal Eco Latex 15g Glove (L)	-	1
OG451XL	Thermal Eco Latex 15g Glove (XL)	-	1



Access Equipment - Fibre Glass Steps

Code	Description	Price	Qty
ELEX/4STEP	4 Step Fibreglass Step Ladder	-	1
ELEX/5STEP	5 Step Fibreglass Step Ladder	-	1
ELEX/6STEP	6 Step Fibreglass Step Ladder	-	1
ELEX/7STEP	7 Step Fibreglass Step Ladder	-	1
ELEX/8STEP	8 Step Fibreglass Step Ladder	-	1



Floodlight Swivel Brackets

Code	Description	Price	Qty
KRP1	Swivel bracket to carry 10W or 20W Elex LED Flood	-	1
KRP2	Swivel bracket to carry 2 x 10W or 20W Elex LED Flood	-	1
KRP3	Swivel bracket to carry 30W-100W Elex LED Flood	-	1
KRP16	Swivel bracket to carry up to 20-30W Elex LED Flood	-	1
KRP3A	Corner brackets to support the KRP3	-	1
KRP1SM	Swivel bracket to carry 10W or 20W Elex LED Flood closer fitting than KRP1	-	1
KRP7	Swivel bracket to carry up to 150W Elex LED Flood	-	1
KRP5	Corner bracket to carry 1 x 10W / 20W Elex LED flood light or bulkhead	-	1
KRP17	Corner bracket to carry 1 x 20W / 30W Elex LED flood light or bulkhead	-	1



Scaffold Bracket

Code	Description	Price	Qty
KRP4U	Scaffold bracket for 1 x 50W or up to 2 x 20W Elex LED flood light	-	1
KRP14	Sign light on 45cm spigot to carry up to 1 x 30W Elex LED flood	-	1
KRP15	Large sign light on 50cm spigot to carry up to 1 x 50W Elex LED flood	-	1
KRP12	Ground spike to carry up to 1 x 20W Elex LED flood light	-	1
KRP13	Ground spike to carry up to 1 x 50W Elex LED flood light	-	1
KRP11-HD	70-90mm adjustable pole bracket to carry up to 100w Elex Flood - can use KRP6-2	-	1
KRP11-114	114mm adjustable pole bracket to carry up to 100w Elex Flood - can use KRP6-2	-	1
KRP19	Internal Corner Mounted Swivel Bracket - 5kg max	-	1
KRP6-2	Twin bar for use with KRP11 or KRP11-114 for up to 2 x 50W Elex LED flood	-	1


SUPER ROD



Super Rod Mega Set

Code	Description	Price	Qty
CRMX	Super Rod Mega Set	-	1

SUPER ROD



Super Rod Deluxe Set

Code	Description	Price	Qty
CRSD	Super Rod Deluxe Set	-	1
CQSS	Cable Quick Standard Set	-	1
CRSS	Super Rod Standard Set	-	1
CRHS	Super Rod Handy Set	-	1

Artline®

EACH KIT INCLUDES

2 X EK-710 LONG NIB - Ideal for marking deep holes
2 X EKPR-ELFT - Twin ended permanent marker with non-conductive barrel.

Code	Description	Price	Qty
EKPRELECTW4	Artline Electrical Kit EKPR EK710	-	1



WANT TO SELL MORE MARKERS?

Excellent! We have just the kit to get you started which offers great value for money on your investment.

Included in this kit you'll get 72 individual markers and 12 electricians kits worth £289.92 exc.VAT

Additional you will also receive this compact trade counter display absolutely free of charge.



Code	Description	Price	Qty
EKPRELFTD	Artline Electrical Counter Display Kit	-	1

Suitable for writing on plastic, plasterboard, wires & electrical tags • non-conductive

Artline®
SPECIAL PURPOSE MARKERS



The perfect marker for any job!

DURACELL®



Duracell Procell Batteries

Code	Description	Case Quantity	Price
Procell Batteries			
PC1500	AA, LR6	10 Cells = 1 Case	-
PC2400	AAA, LR03	10 Cells = 1 Case	-
PC1604	9V, 6LR61	10 Cells = 1 Case	-
PC1400	C, LR14	10 Cells = 1 Case	-
PC1300	D, LR20	10 Cells = 1 Case	-



Duracell Plus Power Batteries

Code	Description	Case Quantity	Price
Plus Power Batteries			
PP1500	AA, LR6	20 packs of 4 = 1 Case	-
PP2400	AAA, LR03	10 packs of 4 = 1 Case	-
PP1604	9V, 6LR61	10 packs of 1 = 1 Case	-
PP1400	C, LR14	10 packs of 2 = 1 Case	-
PP1300	D, LR20	10 packs of 2 = 1 Case	-



Alkaline & Lithium Cell Batteries

Code	Description	Price
DL2032PK2	3V 225mAh Non-Rechargeable Lithium Battery 2PK	-
DL2016PK2	3V 90mAh Non-Rechargeable Lithium Coin Battery 2PK	-
DL2025PK2	3V 165mAh Non-Rechargeable Lithium Battery 2PK	-
LR44PK2	LR44 Non-Rechargeable Alkaline Battery 2PK	-
DLCR2PK2	Ultra CR2 Lithium Battery 2PK	-
DL123APK2	3V Lithium 123A Battery 2PK	-
MN9100PK2	1.5V Alkaline LR1 Battery 2PK	-
MN21PK2	12V A23 Alkaline Battery 2PK	-
PX28L	6V 28L B/Lithium Battery 1PK	-
PC2016PK5	Procell CR2016 Lithium Coin Cell Battery (PK5)	-
PC2025PK5	Procell CR2025 Lithium Coin Cell Battery (PK5)	-
PC2032PK5	Procell CR2032 Lithium Coin Cell Battery (PK5)	-

VARTA®



Varta High Energy Batteries

Code	Description	Price	Qty
4906	AA, LR6	-	4
4903	AAA, LR03	-	4
4922	9V, 6LR61	-	1
4914	C, LR14	-	2
4920	D, LR20	-	2



Varta Industrial Batteries

Code	Description	Price	Qty
4006	AA, LR6	-	4
4003	AAA, LR03	-	10
4022	9V, 6LR61	-	1
4014	C, LR14	-	1
4020	D, LR20	-	1

VIPRO Batteries

Code	Description	Price	Qty
VIPRO-9V	Industrial Alk 9V Battery (10PK)	-	10
VIPRO-AAA	Industrial Alk Aaa Battery (10PK)	-	10
VIPRO-C	Industrial Alk C Battery (10PK)	-	10
VIPRO-D	Industrial Alk D Battery (10PK)	-	10
VIPRO-AA	Industrial Alk Aa Battery (10PK)	-	10



Aerial Amplifiers

The SLXG range of aerial amplifiers from Philex is designed to improve picture and sound quality by amplifying weak UHF, VHF, DAB and FM radio signals and distributing the signal to multiple locations around the home. The SLXG range can also be used to distribute Analogue, VCR, Digital Television and Sky™/ Sky+™ signals around the home without loss of signal strength.



Code	Description	Price	Qty
PHI/27820HSR	4G 4 Way Aerial Distribution Amplifier	-	1
PHI/27822HSR	4G 2 Way Aerial Distribution Amplifier	-	1



Code	Description	Price	Qty
PHI/27820BMR	4G SLx4B 4-Way Aerial Amplifier Integrated Digital	-	1
PHI/27824BMR	4G SLx8B 8-Way Aerial Amplifier Integrated Digital	-	1



Code	Description	Price	Qty
PHI/27823HSR	4G SLx6 6 Way Aerial Amplifier	-	1
PHI/27823BMR	4G SLx6B 6-Way Aerial Amplifier Integrated Digital	-	1



Code	Description	Price	Qty
PHI/27824HSR	4G SLx8 8-Way Aerial Amplifier	-	1
PHI/LDA2061LR	4G 6-Way FM/UHF Amplifier Separate Inputs	-	1



Code	Description	Price	Qty
PHI/27822BMR	4G SLx2B 2-Way Aerial Amplifier Integrated Digital	-	1



Code	Description	Price	Qty
PHI/27828HSR	4G SLx1 1-Way Signal Booster	-	1



Code	Description	Price	Qty
PHI/27884D4	4G 48 Element high gain digital aerial	-	1



Pop-up Sockets

The slim range of pop up socket is a perfect solution for kitchen and workstation space when power is needed. The addition of a USB connection also allows to charge smartphones, tablets and other devices that can be charged via USB.

Code	Description	Price	Qty
PHI/76936PI	3 Ways Pop Up Socket with Switch	-	1
PHI/76937PI	3 Ways Pop Up Socket with 2 USB and Switch	-	1
PHI/76938PI	4 Ways Pop-Up Socket with Switch	-	1

THOR

Thor TV Brackets

Compact and solid AV mount range designed to fulfil the requirements for the vast majority of modern TVs on the market and provide easy ways of mounting and positioning displays.



Code	Description	Price	Qty
PHI/28088T	THOR Full Motion TV Mount up to 55" VESA 400x400	-	1



Code	Description	Price	Qty
PHI/28087T	THOR Full Motion TV Mount up to 40" VESA 200x200	-	1



Code	Description	Price	Qty
PHI/28082T	THOR Fixed TV Mount up to 70" VESA 400x400	-	1




Code	Description	Price	Qty
PHI/28083T	THOR Tilt TV Mount up to 40" VESA 200x200	-	1



Code	Description	Price	Qty
PHI/28084T	THOR Tilt TV Mount up to 70" VESA 400x400	-	1



Code	Description	Price	Qty
PHI/28081T	THOR Fixed TV Mount up to 40" VESA 200x200	-	1



CalCard

Code	Description	Price	Qty
CALCARD	Calcard	-	1

DELIGO



Code	Description	Price	Qty
DEL/BAND	12mm Fix Banding Black	-	1

DELIGO



Code	Description	Price	Qty
DEL/SD	14X32 Zinc Alloy Plug per 100	-	1



RHINO

GENERAL FEATURES


- TRMS
- IP67 Waterproof
- CAT IV 600V
- Automatic detection AC/DC voltage
- Resistance



- Continuity test with buzzer
- Integrated torch
- 4000 count LCD display
- 8 Piece Kit of 1000V VDE insulated tools included

Code	Description	Price	Qty
TISRHINO	TIS Rhino	-	1

Socket tester



Code	Description	Price	Qty
TIS1000	Socket Tester	-	1

Voltstick

SPECIFICATIONS

- Basic Functions Range
- AC Voltage 90 - 1000V
- IP65 Housing
- CAT III 1000V
- Auto Power On
- Auto Power Off
- Vibrates on Detection
- Illuminates on Detection



Code	Description	Price	Qty
TIS950	Voltstick	-	1

Clamp Meter

SPECIFICATIONS

- Basic Functions/Range/Accuracy
- DC Voltage 600V
- AC Voltage 600V
- AC Current 600A
- Resistance 200Ω/2kΩ/20kΩ/200kΩ/2MΩ
- Diode Test
- Continuity Buzzer
- Max Hold
- Data Hold Display
- Back Light & Work Light
- Non-Contact Voltage



Code	Description	Price	Qty
TIS516	Clamp Meter	-	1

Test Probes

SPECIAL FUNCTIONS

- AC/DC Voltage 0V-690V, LED 12V-690V
- Cat III 1000V, CAT IV 600V
- Will not trip RCD when connected Live to Earth
- Loud Continuity Buzzer
- 2 Pole Phase Rotation Test
- Built in Proving Test to comply with HSE GS38, 12b
- Conforms fully to BSEN 61243-3: 2014
- LCD and LED voltage indication



Code	Description	Price	Qty
TIS851	Test Probes	-	1


Multi Meter

SPECIAL FUNCTIONS

- 4000 Count Display
- Auto-Ranging
- AC / DC Voltage
- AC / DC Current
- Resistance
- Capacitance
- Frequency
- Temperature
- Diode Test
- Continuity Buzzer
- Backlit Display
- Rugged Rubberised Case
- Data Hold



Code	Description	Price	Qty
TIS201	Multi Meter	-	1



Code	Description	Price	Qty
TIS1901	Domestic Electrical installation up to 100A	-	1
TIS1903	Domestic Electrical installation Condition Report up to 100A	-	1

Code	Description	Price	Qty
TIS1905	Schedule of circuit details - continuation sheets	-	1
TIS1906	Minor Works Electrical Installation Certificate	-	1
TIS/1908	EVSE Test Report Book	-	1

MILWAUKEE® HANDTOOLS AND ACCESSORIES

ART.# 4932464169

24PCS SHOCKWAVE™ SET

- Order 6 for a Counter Display
- Screwdriving Set Designed for use with Impact Drivers



ART.# 4932464244

3PCS PACKOUT™ TOOLBOX SET

- Modular Stackable Storage System
- Includes trolley box, large box and compact box
- Multiple attachments available



ART.# 4932430864

25PCS SHOCKWAVE™ PZ2 BOX

- Order 10 for a Counter Display
- Screwdriving Bits Designed for use with Impact Drivers



ART.# 4932464575

3PCS VDE PLIER SET

- VDE tested to 10,000V and guaranteed to 1000V
- Manufactured from premium steel



ART.# 4932464240

32PCS SHOCKWAVE™ CASSETTE

- Order 12 for a Counter Display
- Screwdriving Set Designed for use with Impact Drivers



ART.# 4932464066

5PCS VDE SCREWDRIVER SET

- VDE tested to 10,000V and guaranteed to 1000V
- Manufactured from premium steel



ART.# 4932430906

48PCS SHOCKWAVE™ CASSETTE

- Order 6 for a Counter Display
- Screwdriving & Drilling Set Designed for use with Impact Drivers



ART.# 4932464067

7PCS VDE SCREWDRIVER SET

- VDE tested to 10,000V and guaranteed to 1000V
- Manufactured from premium steel



ART.# 4932352834

5PCS SDS+ DRILL BIT SET

- 5.5 x 110 mm + 5.5/6/7/8 x 160 mm
- High Quality SDS+ Drill Bits Manufactured in Germany



ART.# 48221906

FASTBACK™ COMPACT KNIFE

- Compact Flip Utility Knife with Press and flip one-handed operation providing fast access to the blade



ART.# 4932430001

3PCS SDS+ CHISEL SET

- Wide, Flat & Pointed Chisels
- High Quality SDS+ Chisel Bits Manufactured in Germany



ART.# 4932459100

10CM MINI BOX LEVELS

- 10cm Mini Box Spirit Levels
- Order 10 for a Counter Display



ART.# 4932352374

19PCS HSS DRILL BIT SET

- HSS Metal Drill Bit Set
- 1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10 mm



ART.# 4932459374

5M/16FT TAPE MEASURE

- Compact and ergonomic design.
- Nylon non-reflective bond blade protection, up to 10x more resistant to jobsite damage



ART.# 4932464146

100PCS HD ACCESSORY BOX

- Mix of drilling and driving accessories in best Milwaukee® quality
- Dynacase box stacks & attaches to other dynacase tool boxes



ART.# 48229731 (M)/48229732 (L)/48229733 (XL)

JOBSITE GLOVES

- Armortex® reinforced palms and finger tips: Increased durability and hand protection
- Available in sizes M - XL



ART.# 48223100

INKZALL™ MARKERS

- Order 36 for a Counter Display
- Acrylic nib ideal for rough surfaces such as OSB and concrete



TO LEARN MORE VISIT:

WWW.MILWAUKEETOOL.CO.UK

MILWAUKEE® POWERTOOL KITS

M18 FPD2-502X | ART.# 4933464265

M18 FUEL PERCUSSION DRILL

M18 FUEL™ Combi Drill with RedLithium-Ion technology delivers exceptional power and extended machine run time. RedLink Plus intelligence system delivers advanced digital overload protection and enhances performance under load.

- Max. Torque: 135Nm
- 59min Charge Time
- 14 Torque Settings + Drill + Hammer Drill
- 13mm Metal Keyless Chuck
- All-Metal Gearbox
- 2 x 5.0Ah Li-Ion Batteries, Charger & Case



REDLITHIUM-ION™

M18 FPP2A2 | ART.# 4933464269

M18 FUEL TWIN PACK

M18 FUEL™ combi drill and impact driver twin pack delivering exceptional power and extended machine run time. Impact driver features Drive Control technology with 4 different speed and torque settings to maximize versatility.

- 1 x M18™ FUEL™ Combi Drill 135Nm
- 1 x M18™ FUEL™ Impact Driver 226Nm
- 2 x 18V 5.0Ah Li-Ion Batteries
- 1 x 59min Rapid Charger
- 1 x Heavy Duty Carry Case



REDLITHIUM-ION™

M18 BLPD2-502X | ART.# 4933464518

M18 BRUSHLESS PERCUSSION DRILL

M18™ Brushless Combi Drill utilises a brushless motor to deliver exceptional power up to 82Nm Torque for the toughest applications.

- Max. Torque: 82Nm
- 59min Charge Time
- Drill + Hammer Drill + Torque Settings
- 13mm Metal Keyless Chuck
- All-Metal Gearbox
- 2 x 5.0Ah Li-Ion Batteries, Charger & Case



REDLITHIUM-ION™

M18 BLPP2A2 | ART.# 4933464523

M18 BRUSHLESS TWIN PACK

M18™ Brushless combi drill and impact driver twin pack delivering exceptional power and extended machine run time. Brushless motors deliver more power and longer motor life.

- 1 x M18™ FUEL™ Brushless Combi Drill 82Nm
- 1 x M18™ FUEL™ Brushless Impact Driver 180Nm
- 2 x 18V 5.0Ah Li-Ion Batteries
- 1 x 59min Rapid Charger
- 1 x Heavy Duty Carry Case



REDLITHIUM-ION™

M18 CHX-502X | ART.# 4933451383

M18 FUEL 4-MODE SDS-PLUS

M18 FUEL™ SDS-Plus Hammer Drill with brushless Powerstate motor to deliver high impact energy with low vibration. Features 4-mode operation (Drill, Rotary Hammer Drill, Chisel, Variolock).

- Drill, Hammer Drill, Chisel & Variolock
- Max. Impact Energy: 2.5J
- Anti-Vibration System
- Steel Ball Safety Clutch
- All-Metal Gearbox
- Electronic Brake
- Variable Speed & Reverse
- 2 x 5.0Ah Li-Ion Batteries
- 59min Charge Time



REDLITHIUM-ION™

M18 FPD2-501B | ART.# 4933479424

M18 FUEL COMBI DRILL KIT

The M18 FUEL Combi Drill Kit comprises of a Fuel Combi Drill which delivers 135Nm of torque and measures only 175mm in length, making it ideal for working in confined spaces. The REDLITHIUM battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life. The flexible battery system works with all Milwaukee M18 batteries.

- M18 Fuel Percussion Drill
- M18 Red Lithium-Ion 5.0Ah Battery
- M12 - M18 Multi Fast Charger
- Contractor Bag



REDLITHIUM-ION™

M18 FPP6I2-502B | ART.# 4933478983

M18 FUEL 6 PIECE KIT

The M18 Fuel 6 Piece Kit comprises of a range of M18 FUEL products, this is perfect for any tradesperson getting into the Milwaukee platform. The REDLITHIUM battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life. The flexible battery system works with all Milwaukee M18 batteries.

- M18 FUEL Percussion Drill
- M18 FUEL Impact Driver
- M18 FUEL 4 Mode SDS+ Hammer Drill
- M18 FUEL Gen 2 115mm Angle Grinder w/Rapid Stop
- M18 FUEL Multi Tool
- M18 FUEL Area Light
- M18 REDLITHIUM-ION 5.0Ah Battery x 2
- M12 - M18 Multi Fast Charger



REDLITHIUM-ION™

M18 FSZ-501X | ART.# 4933479260

M18 FUEL NEW SAWZALL KIT

The M18 FUEL Sawzall Kit comprises of a FUEL Sawzall which delivers 3000SPM and a 1 1/4" stroke length for faster material removal. A wear-resistant blade change, anti-corrosion blade clamp, and metal reinforced battery rails provide longer component life and stand up to the toughest jobsite conditions. The REDLITHIUM battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life. The flexible battery system works with all Milwaukee M18 batteries.

- M18 Fuel Gen 2 Sawzall
- M18 5.0Ah REDLITHIUM-ION Battery
- M12 - M18 Multi Fast Charger
- HD Box



REDLITHIUM-ION™

MILWAUKEE® BARE UNITS

M18 CAG115XPDB-0 | ART.# 4933451007

M18 FUEL 115 MM BREAKING GRINDER

M18 FUEL™ 115 mm high performance angle grinder incorporating Powerstate brushless motor for more power and longer motor life. Features Rapidstop for fast disc brake and RedLink Intelligence system.

- Paddle Switch
- Magnesium Gearbox
- Adjustable Guard
- Rapid Stop disc brake
- 2-Position Side Handle
- Tool free disc change



REDLITHIUM-ION™

M18 FID2-0X | ART.# 4933464087

M18 FUEL IMPACT DRIVER

M18 FUEL™ Impact Driver incorporates a Powerstate Brushless motor to deliver exceptional power up to 226Nm Torque. 4 Mode selectable operations allows the user to adjust the power delivered.

- Max. Torque: 226Nm
- 3600 rpm
- 1/4" Hex Tool Holder
- 1/4" Hex Chuck
- 4-Speed Variable
- Includes Dynacase



REDLITHIUM-ION™

M18 FJS-0X | ART.# 4933464726

M18 FUEL TOP HANDLE JIGSAW

M18 FUEL™ Jigsaw. Delivers a 22mm stroke length for controlled cutting with a no-load stroke rate of 3000 spm.

- 5-Stage Pendulum Action
- Keyless 0-45° Bevel
- Fixed Speed
- FIXTEC blade clamp
- Quick-Release Blade Change
- Includes Dynacase



REDLITHIUM-ION™

M18 BLCS66-0 | ART.# 4933464588

M18 BRUSHLESS 66 MM CIRCULAR SAW

M18 Brushless Circular saw delivers a maximum depth of cut of up to 66mm. Capable of up to 50° bevel.

- Max. Cut: 66mm
- 48-Tooth TCT Blade
- Electronic Brake
- 0-50° bevel
- Integrated LED



REDLITHIUM-ION™

C18 HZ-0 | ART.# 4933416785

M18 HACKZALL

Only 375mm in length making it ideal for one handed operation. 20mm stroke length for controlled cutting with a stroke rate of 3000 spm.

- Supplied with 1 x Blade
- 20mm Stroke Length
- Quick-Release Blade Change
- FIXTEC blade clamp



REDLITHIUM-ION™

M18 BMT-0 | ART.# 4933446203

M18 MULTI-TOOL

M18™ Multi Tool suitable for cutting metal, wood and plastic. Features RedLink overload protection and cutting depth stop adaptor to prevent over-cutting.

- 12-Speed
- LED Work Light
- Rubber-Overmould Grip
- FIXTEC tool free blade change



REDLITHIUM-ION™

M18 CHX-0 | ART.# 4933447420

M18 FUEL 4-MODE SDS-PLUS

M18 FUEL™ SDS+ Hammer Drill. Powerstate brushless motor for more power and longer motor life. Maximum masonry drilling capacity of 26mm.

- Drill, Hammer Drill, Chisel & Variolock
- Max. Impact Energy: 2.5J
- Anti-Vibration System
- Max. Drilling masonry – 26 mm



REDLITHIUM-ION™

C18 RAD-0 | ART.# 4933427189

M18 COMPACT RIGHT ANGLE DRILL

Angle drill featuring a 100mm compact head designed to fit in the tightest work areas and a 10mm single sleeve ratcheting chuck provides maximum versatility and grip.

- Variable Speed & Reverse
- 10mm Keyless Chuck
- 10 Torque Settings



REDLITHIUM-ION™

M18 JSR DAB+-0 | ART.# 4933451252

M18 JOBSITE RADIO DAB+

Delivers high reception and signal clarity with a digital processor. Features include a customizable equalizer for sound quality. Works with all M18™ Batteries.

- DAB+ / FM Reception
- USB / Aux Input
- 2 x 3W Speakers



REDLITHIUM-ION™

M1418C6 | ART.# 4932430310

M14 - M18 MULTIBAY CHARGER

Charges up to 6 batteries sequentially. Bypass mode to select the battery bay that charges first.

- Charges 18v Batteries
- Bypass Mode
- Integrated Hanging Holes



REDLITHIUM-ION™

M12-18 FC | ART.# 4932451080

M18 - M12 FAST CHARGER

Recharges all M12™ and M18™ Redlithium-Ion battery packs. Recharges in sequence. Charge times according to battery size.

- Charges 18V/12V Batteries
- 59min Full Recharge (M18 5.0Ah)



REDLITHIUM-ION™

M18 B5 | ART.# 4932430483

M18 5.0 AH BATTERY

M18 5.0Ah Battery features individual cell monitoring ensures optimal charge and discharge for maximum life & power.

- RedLink Digital Overload Protection
- On-Board Battery Fuel Gauge
- Water Protection



REDLITHIUM-ION™

TAPES THAT ARE MADE OF TOUGHER STUFF

MARK OF A SMART
PROFESSIONAL

Brother's TZe tapes are extra durable and help you stay compliant with the IET Wiring Regulations (18th Edition).

With excellent resistance to water, abrasion, chemicals and severe temperatures, they've been tested to the extreme.

CHOOSE FROM:

- TZe tapes - with hardwearing and fade resistant laminated technology
- Strong adhesive tapes - ideal for irregular surfaces with 50% more strength than a standard tape to stay put in the most demanding environments
- High-grade, flexible ID tapes - specially formulated to wrap securely around wires and cables
- HSe heat shrink tubes - for clear cable identification
- Security tapes - when the label is peeled, it leaves behind a 'checkerboard' pattern indicating the label has been tampered with.

Code	Description	Price	Qty
TZE221	Black on White (9mm) - 8m long	-	1
TZE131	Black on Clear (12mm) - 8m long	-	1
TZE231	Black on White (12mm) - 8m long	-	1
TZE631	Black on Yellow (12mm) - 8m long	-	1
TZE241	Black on White (18mm) - 8m long	-	1
TZE641	Black on Yellow (18mm) - 8m long	-	1
TZE251	Black on White (24mm) - 8m long	-	1
TZE651	Black on Yellow (24mm) - 8m long	-	1

Code	Description	Price	Qty
HSE211	5.8mm Black on White Heat Shrink Tube	-	1
HSE221	8.8mm Black on White Heat Shrink Tube	-	1
HSE231	11.7mm Black on White Heat Shrink Tube	-	1
HSE241	17.7mm Black on White Heat Shrink Tube	-	1
HSE251	23.6mm Black on White Heat Shrink Tube	-	1



TAPES SIZES:

3.5mm 6mm 9mm 12mm 18mm 24mm



Fade
resistant



Easy
peel



LaminatedA



Water
resistant



Temperature
resistant



abrasion
resistant



Chemical
resistant



PROFESSIONAL AND DURABLE ELECTRICAL LABELLING KITS

brother
at your side

HELPING YOU STAY COMPLIANT WITH THE 18TH EDITION OF THE IET WIRING REGULATIONS

PT-E550WVPZU1

Our flagship model, the PT-E550WVP, is our best-ever electrical label printer. Packed with compliant templates it's perfect for helping you comply with the 18th Edition Wiring Regulations.

- Print labels up to 24mm wide
- Wireless connectivity and dedicated apps available
- Faster print speed and advanced automatic cutter
- 12 smart application keys.
- Comes with carry case, wrist strap, USB cable, 24mm and 12mm tape, AC adapter and rechargeable lithium-ion battery.

Net Price Ex. VAT		
CODE	Description	Each
PT-E550WVPZU1	Handheld Electrician Labelling Machine (24mm)	-



MARK OF A SMART
PROFESSIONAL

PT-E300VPZU1

Produce clear and durable labels instantly on-site, up to 18mm wide, helping you to achieve a professional and compliant finish every time.

As per the PT-E550WVP plus:

- Smart label application keys for quick applications
- Li-ion rechargeable battery for mobile printing
- Cable wrap, cable tag and sequential numbering smart keys
- Comes with handy carry case including strong adhesive 18mm black on yellow 8m tape, AC adaptor and rechargeable battery.



Net Price Ex. VAT		
CODE	Description	Each
PT-E300VPZU1	Handheld Labelling Machine (18mm)	-

PT-E110VPZU1*

Fitting nicely in your hand with a QWERTY keyboard and intuitive operation keys, it's perfect for simple labelling jobs.

- Print labels up to 12mm wide
- Easy to read LCD screen
- In-built cable wrap, cable flag and faceplate templates
- Comes with handy carry case, AC adapter and 8m Flexi ID tape.



Net Price Ex. VAT		
CODE	Description	Each
PT-E110VPZU1	VP Labelling Machine (12mm)	-

*Also available as a non VP version - includes PT-E110 and 4m starter, black on white, 9mm tape.

TAPES TESTED TO THE EXTREME

Brother P-touch TZe and other specialist tapes have been designed to last, wherever you use them. With excellent resistance to water, abrasion, chemicals, fading and temperature extremes, they'll never let you down.



THE BEST WAY TO STAY COMPLIANT

The table below shows how our products can help you meet each of the specific labelling requirements of the IET Wiring Regulations, helping you stay compliant.

Regulation	PT-E110VP*	PT-E300VP	PT-E550WVP
514.1.1 General - ID and notices	Some	Most	✓
514.5.1 ID of conductors by lettering and/or numbering	✓	✓	✓
514.8.1 ID of a protective device	✓	✓	✓
514.10.1 Voltage warning	X	X	✓
514.11.1 Isolation	X	✓	✓
514.12.1 Periodic inspection	X	X	✓
514.12.2 RCD	X	X	✓
514.13.1 Earthing and bonding	X	✓	✓
514.14.1 Non-standard colours	X	✓	✓
514.15.1 Alternative supplies	X	✓	✓
514.16 High protective conductor currents	X	✓	✓
PAT test labels (Portable Appliance Test)	X	X	✓
712.537.2 Warning notice (photovoltaic systems)	X	X	✓

The mBox L32 Wiring Centre with 221 series compact lever connectors

Part No: **60362958** List Price: - ex VAT (PU1)



221 Series - 4mm²

Technical Data

0.2 - 4mm² solid & stranded
0.14 - 4mm² fine-stranded
450 V/4 kV/2⁰
32 A

11 mm

Description.	Item No.	Qty.
transparent housing		
○ 2-conductor	221-412	3
○ 3-conductor	221-413	2
○ 5-conductor	221-415	4

Benefits

- Pre-mounted 221 series connectors, ready to use
- Cable entries from behind or bottom cut outs
- Integral mounting holes
- Unique design aids mounting on uneven surfaces
- Satisfies the requirements of both 'S' and 'Y' connection schematics



Heating Systems



Data Centres



Alarm Systems



Lighting

221 Series Installer L-Boxx Mini 4mm² & 6mm² compact lever connectors (235pcs)

Part No: **887-957** List Price: - ex VAT (PU1)



221 Series - 4mm²

Technical Data

0.2 - 4mm² solid & stranded
0.14 - 4mm² fine-stranded
450 V/4 kV/2⁰
32 A

11 mm

Description.	Item No.	Qty.
transparent housing		
○ 2-conductor	221-412	75
○ 3-conductor	221-413	50
○ 5-conductor	221-415	25

221 Series - 6mm²

Technical Data

0.5 - 6mm² solid, stranded & fine-stranded
450 V/4 kV/2⁰
41 A

13 mm

Description.	Item No.	Qty.
transparent housing		
○ 2-conductor	221-612	40
○ 3-conductor	221-613	30
○ 5-conductor	221-615	15



1. Strip the conductor as shown on the connector.



2. Open the lever & insert the conductor.



3. Lower the lever to complete the connection.



4. Connectors are reusable

The Right Connector for Every Application

Whether it is for terminating solid conductors with one another or solid, stranded and fine-stranded conductors together, WAGO has the right connector to meet your most varying requirements.

From the original WAGO 273 Series PUSH WIRE® connector for junction boxes to the WINSTA® connectors for the building installation, WAGO offers a comprehensive range of electrical interconnection products based on innovative Spring Pressure Termination Technology. Only these clamping and connecting systems can guarantee proper functioning and 100% reliability – and that all without any maintenance.

Easily clamped in a matter of seconds (and, where required just as quickly released) – WAGO terminal blocks and connectors have proven themselves beyond a shadow of a doubt for more than 35 years now. In control cabinets or junction boxes, or on carrier rails – the reliability of these products makes them ideal for use in building automation and power engineering, in the automotive industry, in traffic and process technology and in mechanical engineering.



221 Series Compact Lever Connector

Code	Description	Price	Qty
221-412	2 Conductor, 4mm ² compact lever connector, 32A (100)	-	1
221-413	3 Conductor, 4mm ² compact lever connector, 32A (50)	-	1
221-415	5 Conductor, 4mm ² compact lever connector, 32A (25)	-	1
221-612	2 Conductor, 41A Push Wire Connector (50)	-	1
221-613	3 Conductor, 41A Push Wire Connector (30)	-	1
221-615	5 Conductor, 41A Push Wire Connector (15)	-	1



222 Series Lever Connector

Code	Description	Price	Qty
222-412	2 Conductor, 4mm ² lever connector, 32A (50)	-	1
222-413	3 Conductor, 4mm ² lever connector, 32A (50)	-	1
222-415	5 Conductor, 4mm ² lever connector, 32A (40)	-	1

2773 Series Wire Push Compact Connector



Code	Description	Price	Qty
2773-402	2 Way Pushwire Connector (120)	-	1
2773-403	3 Way Pushwire Connector (100)	-	1
2773-404	4 Way Pushwire Connector (80)	-	1
2773-405	5 Way Pushwire Connector (60)	-	1



773 Series Compact Lever Connector

Code	Description	Price	Qty
773-102	2 Conductor, 2.5mm ² PUSH WIRE connector, 24A (100)	-	1
773-104	4 Conductor, 2.5mm ² PUSH WIRE connector, 24A (100)	-	1



Carry Cases

Code	Description	Price	Qty
51228987	Installer basic box - 75 connectors	-	1
51228988	Installer box professional - 240 connectors	-	1
60281155	221 Series compact lever case - 85 connectors	-	1
887-100	2273 Series connector case - 200 connectors	-	1
887-957	L-BOXX Mini 221 Series (235 PCS)	-	1



WAGOBX Junction boxes

Code	Description	Price	Qty
51257303	WAGOBX Light junction box for 224 series, grey (10)	-	1
51008319	WAGOBX Junction box for 222 & 773 series, grey (10)	-	1

NOW FULLY STOCKED IN ELECTRACENTRE



OPTIMUM



www.tfc-group.co.uk

TFC Group, Tower House, Tonbridge, Kent TN9 1TB.

T 01732 351680

F 01732 354445

SEE PAGE
36